

▽ PLUMB ▽



Streamlined



TOOLS

for ARMY ▽ NAVY ▽ INDUSTRY

CATALOG NUMBER 19-R

SECOND PRINTING

© BY PLOMB TOOL COMPANY

▽ PLOMB ▽ *Streamlined Tools*

FOR ARMY, NAVY AND ALL INDUSTRIES

Automotive • Aviation • Railroad
Mining • Oil Country • Plumbing
Marine • Utilities

THE PLOMB GUARANTEE

Plomb Tools are forged from the finest steels, scientifically heat-treated. They are guaranteed to perform the work for which they are designed and intended to be used, and to last as long as is consistent with ordinary wear and tear. Any Plomb Tool that may be found defective in workmanship or material, and is returned to the factory, charges prepaid, will, at our option, be replaced, or repaired, or credited at current prices.

There are a few items listed in the catalog marked "no replacement". They are few and represent tools made extremely light, which will give good lasting service in skilled hands.

PLOMB TOOL COMPANY

Main Office and Plant • 2209 Santa Fe Avenue, Los Angeles 54, California

Phone JEFFerson 4181

MASTER TOOL SET--No. 9969-1B



Specifications for Master Tool Set--No. 9969-1B


Cannot be shipped complete from factory but can be assembled by distributor.

This set was selected with the assistance of one of the country's leading mechanics. . . . Not a store assortment, but a scientifically designed set to give you the most popular tools . . . each one a live item you will use constantly. Remember too, buy your tools in Plomb selected sets and save. This set is listed below.

Tool No.	Description	Tool No.	Description	Tool No.	Description	
Miscellaneous Items				5265	Hinge Handle 7 $\frac{3}{8}$ " Long	
706	Adjustable Wrench	9522	"	5270	Universal Joint	
710	"	9524	"	5275	$\frac{1}{2}$ " Universal Socket	
9782	Phillips Type Screwdriver	351	Hack Saw	5276	$\frac{9}{16}$ " "	
9784	"			5277	$\frac{5}{8}$ " "	
9786	"	Open End and Box Wrenches			5280	18" Speeder
9604	Plastic Handle Screwdriver	1120	$\frac{5}{16}$ " x $\frac{3}{8}$ " Box Wrench	5297	Socket Rack	
9606	"	1125	$\frac{7}{16}$ " x $\frac{1}{2}$ " "	Standard Items $\frac{1}{2}$" Sq. Drive		
9622	"	1126	$\frac{1}{2}$ " x $\frac{9}{16}$ " "	5340	$\frac{1}{2}$ " Deep Socket	
9632	"	1130	$\frac{9}{16}$ " x $\frac{5}{8}$ " "	5341	$\frac{9}{16}$ " "	
9651	"	1135	$\frac{11}{16}$ " x $\frac{3}{4}$ " "	5343	$\frac{5}{8}$ " "	
9702	Wood Handle Screwdriver	1140	$\frac{13}{16}$ " x $\frac{7}{8}$ " "	5344	$\frac{11}{16}$ " "	
9704	"	1145	$\frac{15}{16}$ " x 1" "	5345	$\frac{3}{4}$ " "	
9706	"	1150	$\frac{11}{16}$ " x $1\frac{1}{8}$ " "	5348	$\frac{7}{8}$ " "	
9708	"	1214	$\frac{7}{16}$ " Com. OE & Box Wrench	5349	$\frac{15}{16}$ " "	
9710	"	1216	$\frac{1}{2}$ " "	5351	1" "	
9712	"	1218	$\frac{9}{16}$ " "	5347	$\frac{13}{16}$ " "	
000A	Feeler Gauge Set	1220	$\frac{5}{8}$ " "	5414	$\frac{7}{16}$ " 12-pt. Reg. Socket	
30	$\frac{3}{4}$ " Rivet Cutter	1222	$\frac{11}{16}$ " "	5416	$\frac{1}{2}$ " "	
36	$\frac{5}{16}$ " Offset Screwdriver	1224	$\frac{3}{4}$ " "	5418	$\frac{9}{16}$ " "	
41	$\frac{3}{8}$ " Center Punch	1228	$\frac{7}{8}$ " "	5419	$\frac{19}{32}$ " "	
47	$\frac{1}{4}$ " x $\frac{3}{32}$ " Pin Punch	1230	$\frac{15}{16}$ " "	5420	$\frac{5}{8}$ " "	
47	$\frac{5}{16}$ " x $\frac{1}{8}$ " "	1232	1" "	5422	$\frac{11}{16}$ " "	
47	$\frac{3}{8}$ " "	3020	$\frac{5}{16}$ " x $\frac{3}{8}$ " Open End Wrench	5424	$\frac{3}{4}$ " "	
50	$\frac{1}{4}$ " Starting Punch	3025	$\frac{7}{16}$ " x $\frac{1}{2}$ " "	5426	$\frac{13}{16}$ " "	
50	$\frac{5}{16}$ " "	3026	$\frac{1}{2}$ " x $\frac{9}{16}$ " "	5428	$\frac{7}{8}$ " "	
50	$\frac{3}{8}$ " "	3030	$\frac{9}{16}$ " x $\frac{5}{8}$ " "	5430	$\frac{15}{16}$ " "	
50	$\frac{7}{16}$ " "	3035	$\frac{11}{16}$ " x $\frac{3}{4}$ " "	5432	1" "	
86A	$\frac{5}{16}$ " Cold Chisel	3040	$\frac{13}{16}$ " x $\frac{7}{8}$ " "	5434	$\frac{11}{16}$ " "	
86A	$\frac{3}{8}$ " "	3045	$\frac{15}{16}$ " x 1" "	5449	Reversible Ratchet	
86A	$\frac{1}{2}$ " "	3050	$\frac{11}{16}$ " x $1\frac{1}{8}$ " "	5460	$2\frac{1}{2}$ " Extension	
86A	$\frac{5}{8}$ " "	3210	$\frac{13}{64}$ " x $\frac{15}{64}$ " Ignition Open	5461	5" "	
86A	$\frac{3}{4}$ " "		End Wrench	5463	10" "	
96	$\frac{5}{16}$ " Drift Punch	3215	$\frac{7}{32}$ " x $\frac{1}{4}$ " Ignition Open	5466	$9\frac{1}{2}$ " Hinge Handle	
96	$\frac{7}{16}$ " "		End Wrench	5468	18" "	
96	$\frac{5}{8}$ " "	3220	$\frac{9}{32}$ " x $\frac{5}{16}$ " Ignition Open	5470	Universal Joint	
209	Diagonal Plier		End Wrench	5480	18" Speed Handle	
247	Slip Joint Plier	3225	$\frac{11}{32}$ " x $\frac{3}{8}$ " Ignition Open	5497	Socket Rack	
218	Battery Plier		End Wrench	Heavy Duty Items $\frac{3}{4}$" Sq. Drive		
235	Ignition Plier	3425	$\frac{7}{16}$ " x $\frac{1}{2}$ " Tappet Wrench	5536	$\frac{11}{8}$ " 12-pt. Socket	
240	Water Pump Plier	3426	$\frac{1}{2}$ " x $\frac{9}{16}$ " "	5540	$\frac{11}{4}$ " "	
2120	Grease Bar	3430	$\frac{9}{16}$ " x $\frac{5}{8}$ " "	5542	$\frac{15}{16}$ " "	
2130	Roll Head Bar	3435	$\frac{11}{16}$ " x $\frac{3}{4}$ " "	5544	$\frac{13}{8}$ " "	
		Cub Items $\frac{3}{8}$" Sq. Drive			5546	$\frac{17}{16}$ " "
		5212	$\frac{3}{8}$ " 12-pt. Socket	5548	$\frac{11}{2}$ " "	
		5214	$\frac{7}{16}$ " "	5552	$\frac{15}{8}$ " "	
		5216	$\frac{1}{2}$ " "	5556	$\frac{13}{4}$ " "	
		5218	$\frac{9}{16}$ " "	5661	8" Extension	
		5220	$\frac{5}{8}$ " "	5663	16" "	
		5222	$\frac{11}{16}$ " "	5685	Sliding Bar	
		5224	$\frac{3}{4}$ " "	9969-1	Master Tool Chest	
		5246	Screwdriver Socket			
		5249	Reversible Ratchet			
		5260	$3\frac{1}{2}$ " Extension			
		5261	$7\frac{1}{2}$ " "			
1383	Plastic Tip Hammer					
2337	Carbon Scraper					
2411	Leatherette Kit					
4700 A	Set Assorted Midget Tools					
9521	Screw Extractor					

THE PLOMB LINE IS THE GUARANTEED LINE OF QUALITY TOOLS

MASTER TOOLMOBILE SET No. 9969-4D



Cannot be shipped complete from factory but can be assembled by distributor.

Tool No.	Description	Tool No.	Description	Tool No.	Description
	Miscellaneous Items				Heavy Duty Series 3/4 Sq. Dr.
000A	Feeler Gauge Set	3200A	Set Ignition Open End Wrenches	5534	1 1/16" 12-pt. Reg. Socket
36	5/16" Offset Screwdriver	3425	Tappet Wrench 7/16" x 1/2"	5540	1 1/4" "
41	3/8" Center Punch	3426	" " 1/2" x 9/16"	5542	1 5/16" "
47	1/4" Rivet Punch	3430	" " 9/16" x 5/8"	5546	1 7/16" "
47	5/16" x 1/8"			5548	1 1/2" "
47	3/8" "			5661	8" Extension
50	1/4" Starting Punch		Cub Series 3/8" Sq. Drive	5668	22" Hinge Handle
50	5/16" "	5214	7/16" 12-pt. Socket		
50	3/8" "	5216	1/2" "		Miscellaneous Items
86A	5/16" Cold Chisel	5218	9/16" "	9521	1/8" Screw Extractor
86A	3/8" "	5220	5/8" "	9522	1 1/64" "
86A	5/8" "	5222	1 1/16" "	9524	1 9/64" "
96	5/16" Drift Punch	5224	3/4" "	9702	2 1/2" Wood Handle Screwdriver
96	1/2" "	5249	Cub Reversible Ratchet	9708	8" Wood Handle Screwdriver
209	Heavy Duty Diagonal Plier	5261	7 1/2" Extension	9712	12" Wood Handle Screwdriver
218	Battery Plier	5270	Universal Joint	9784	Phillips Wood Handle Screwdriver
235	Midget Slip Joint Plier	5275	1/2" Universal Socket	9804	4" Plastic Handle Sq. Blade Screwdriver
240	Water Pump Plier	5276	9/16" "	9806	6" Plastic Handle Sq. Blade Screwdriver
351	Firmback Hack Saw	5280	18" Speed Handle	9822	2 1/2" Plastic Handle Sq. Blade Screwdriver
			Standard Series 1/2" Sq. Drive	9832	4" Plastic Handle Sq. Blade Screwdriver
1383	Plastic Tipped Hammer	5347	1 3/16" Deep Socket	9843	10" Plastic Handle Sq. Blade Screwdriver
2126	Rolling Head Bar	5348	7/8" "	2337	Scraper
4700F	Asst. Midget Sockets Set	5349	1 5/16" "	9969-4	Plomb Toolmobile
	Wrenches	5351	1" "		
1120	5/16" x 3/8" 12-pt. Box Wrench	5414	7/16" 12-pt. Regular Socket		
1125	7/16" x 1/2" "	5416	1/2" "		
1130	9/16" x 5/8" "	5418	9/16" "		
1135	1 1/16" x 3/4" "	5420	5/8" "		
1140	1 3/16" x 7/8" "	5422	1 1/16" "		
1145	1 5/16" x 1" "	5424	3/4" "		
1214	7/16" Com. OE & Box Wrench	5426	1 3/16" "		
1216	1/2" "	5428	7/8" "		
1218	9/16" "	5430	1 5/16" "		
1220	5/8" "	5432	1" "		
3020	5/16" x 3/8" Open End Wrench	5449	Standard Reversible Ratchet		
3025	7/16" x 1/2" "	5463	10" Extension		
3030	9/16" x 5/8" "	5468	18" Hinge Handle		
3035	1 1/16" x 3/4" "	5470	Universal Joint		
3040	1 3/16" x 7/8" "				
3045	1 5/16" x 1" "				

THE PLOMB LINE IS THE MAJOR LINE OF FINE FORGED TOOLS

MASTER WHEEL-ABOUT No. 9998-1A



Specifications--Wheel-About Set No. 9998-1A

Cannot be shipped complete from factory **140 ITEMS** but can be assembled by distributor.



Since introducing the Plomb Wheel-About Chest Combination many requests have been received for a well-selected set of tools to go with it. Here's the answer—a versatile set featuring one each of the items listed below. You'll be proud to own them.

Cub Series $\frac{3}{8}$ " Sq. Drive		Heavy Duty Series $\frac{3}{4}$ " Sq. Drive		Miscellaneous Items	
Tool No.	Description	Tool No.	Description	Tool No.	Description
5210	$\frac{5}{16}$ " 12 point Socket	5528	$\frac{7}{8}$ " 12 point Socket	235	Ignition Plier
5212	$\frac{3}{8}$ " " "	5530	$\frac{15}{16}$ " " "	207	7" Diagonal Plier
5214	$\frac{7}{16}$ " " "	5532	1" " "	1383	Plastic Tip Hammer
5216	$\frac{1}{2}$ " " "	5534	$\frac{11}{16}$ " " "	2337	Carbon Scraper
5218	$\frac{9}{16}$ " " "	5536	$\frac{11}{8}$ " " "	4520	Stud Puller
5220	$\frac{5}{8}$ " " "	5540	$\frac{11}{4}$ " " "	30	$\frac{3}{4}$ " Rivet Cutter
5222	$\frac{11}{16}$ " " "	5542	$\frac{15}{16}$ " " "	36	$\frac{5}{16}$ " Offset Screwdriver
5224	$\frac{3}{4}$ " " "	5544	$\frac{13}{8}$ " " "	41	$\frac{3}{8}$ " Center Punch
5274	$\frac{7}{16}$ " Universal Socket	5546	$\frac{17}{16}$ " " "	47	$\frac{1}{4}$ " Pin Punch
5275	$\frac{1}{2}$ " " "	5548	$\frac{11}{2}$ " " "	47	$\frac{5}{16}$ " x $\frac{1}{8}$ " " "
5276	$\frac{9}{16}$ " " "	5550	$\frac{19}{16}$ " " "	47	$\frac{3}{8}$ " " "
5277	$\frac{5}{8}$ " " "	5552	$\frac{15}{8}$ " " "	47	$\frac{7}{16}$ " " "
5278	$\frac{11}{16}$ " " "	5556	$\frac{13}{4}$ " " "	47	$\frac{1}{2}$ " " "
5279	$\frac{3}{4}$ " " "	5558	$\frac{113}{16}$ " " "	86A	$\frac{1}{4}$ " Cold Chisel
5249	Reversible Ratchet	5560	$\frac{17}{8}$ " " "	86A	$\frac{3}{8}$ " " "
5260	$\frac{31}{2}$ " Extension	5564	2" " "	86A	$\frac{1}{2}$ " " "
5261	$\frac{7}{16}$ " " "	5649	Reversible Ratchet	86A	$\frac{5}{8}$ " " "
5263	18" " "	5661	8" Extension	86A	$\frac{3}{4}$ " " "
5265	Hinge Handle	5663	16" " "	96	$\frac{1}{4}$ " Drift Punch
5270	Universal Joint	5685	Sliding Bar	96	$\frac{3}{8}$ " " "
5280	18" Speeder			96	$\frac{1}{2}$ " " "
				96	$\frac{3}{4}$ " " "
				2130	Roll Head Bar
				9521	Screw Extractor
				9522	" "
				9523	" "
				9524	" "
				9525	" "
				9604	Plastic Handle Screwdriver
				9606	" "
				9608	" "
				9622	" "
				9632	" "
				9643	" "
				9652	" "
				5297	Cub Socket Rack
				5497	Standard Socket Rack
				* 9998-1 Wheel-About Tool Chest	
				Total of 140 Items	
				Shipping Weight 205 Lbs.	
				*Temporarily discontinued	

* ~~SET NO. 9998 F Identical to the above except use the No. 9998 Box only.~~



OPEN



MASTER TOOL SET No. 9998-B




CLOSED

Cannot be shipped complete from factory but can be assembled by distributor.

There's a Plomb Socket for Every Need



5½ pounds. All made from special alloy steel, accurately forged, carefully broached and scientifically heat-treated to give long and satisfactory service under the hardest conditions.



OPEN

**Master Set No. 9990-C**

CLOSED



Streamlined Tools

Set No. 9989-A

Cannot be shipped complete from factory but
can be assembled by distributor.

Two things to remember about Plomb Tool Sets. They are expertly selected to give their new owner the most useful tools and you save in buying sets. Here is the ultimate in a tool set. A regal assortment of fine tools in a popular Plomb chest. Note its contents below and you will want to own it.



Tool No. Description

Cub Items $\frac{3}{8}$ " Sq. Drive

5210	$\frac{5}{16}$ "	12 point Socket
5212	$\frac{3}{8}$ "	"
5214	$\frac{7}{16}$ "	"
5216	$\frac{1}{2}$ "	"
5218	$\frac{9}{16}$ "	"
5220	$\frac{5}{8}$ "	"
5222	$\frac{11}{16}$ "	"
5224	$\frac{3}{4}$ "	"
5270		Universal Joint
5280		18" Speeder
5265		Hinge Handle
5249		Reversible Ratchet
5260		$\frac{31}{2}$ " Extension
5262	12"	"

Standard Items $\frac{1}{2}$ " Sq. Drive

5414	$\frac{7}{16}$ "	12 point Socket
5416	$\frac{1}{2}$ "	"
5418	$\frac{9}{16}$ "	"
5420	$\frac{5}{8}$ "	"
5422	$\frac{11}{16}$ "	"
5424	$\frac{3}{4}$ "	"
5426	$\frac{13}{16}$ "	"
5428	$\frac{7}{8}$ "	"
5430	$\frac{15}{16}$ "	"
5432	1"	"
5434	$\frac{11}{16}$ "	"
5470		Universal Joint
5480		18" Speeder
5449		Reversible Ratchet
5461	5"	Extension
5463	10"	Extension
5468	18"	Hinge Handle
5347	$\frac{13}{16}$ "	12 pt. deep Socket
5348	$\frac{7}{8}$ "	"
5349	$\frac{15}{16}$ "	"
5351	1"	"

Wrenches

3425	$\frac{7}{16}$ " x $\frac{1}{2}$ "	Tappet Wrench
3426	$\frac{1}{2}$ " x $\frac{9}{16}$ "	"
3430	$\frac{9}{16}$ " x $\frac{5}{8}$ "	"
3210	$\frac{13}{64}$ " x $\frac{15}{64}$ "	Midget Open End Wrench
3215	$\frac{7}{32}$ " x $\frac{1}{4}$ "	Midget Open End Wrench
3220	$\frac{9}{32}$ " x $\frac{5}{16}$ "	Midget Open End Wrench

Tool No. Description

Wrenches—(Continued)

3225	$\frac{11}{32}$ " x $\frac{3}{8}$ "	Midget Open End Wrench
3020	$\frac{5}{16}$ " x $\frac{3}{8}$ "	Open End Wrench
3025	$\frac{7}{16}$ " x $\frac{1}{2}$ "	"
3030	$\frac{9}{16}$ " x $\frac{5}{8}$ "	"
3035	$\frac{11}{16}$ " x $\frac{3}{4}$ "	"
3040	$\frac{13}{16}$ " x $\frac{7}{8}$ "	"
3045	$\frac{15}{16}$ " x 1"	"
1120	$\frac{5}{16}$ " x $\frac{3}{8}$ "	Box Wrenches
1125	$\frac{7}{16}$ " x $\frac{1}{2}$ "	"
1130	$\frac{9}{16}$ " x $\frac{5}{8}$ "	"
1135	$\frac{11}{16}$ " x $\frac{3}{4}$ "	"
1140	$\frac{13}{16}$ " x $\frac{7}{8}$ "	"
1145	$\frac{15}{16}$ " x 1"	"
1216	$\frac{1}{2}$ "	Com. OE & Box Wrench
1218	$\frac{9}{16}$ "	"
1220	$\frac{5}{8}$ "	"
1222	$\frac{11}{16}$ "	"
1224	$\frac{3}{4}$ "	"
1228	$\frac{7}{8}$ "	"
1230	$\frac{15}{16}$ "	"

Miscellaneous Items

86A	$\frac{3}{8}$ "	Cold Chisels
86A	$\frac{3}{4}$ "	"
96	$\frac{5}{16}$ "	Drift Punch
96	$\frac{1}{2}$ "	"
209		Diagonal Plier
235		Midget Plier
351		Hack Saw
41	$\frac{3}{8}$ "	Center Punch
47	$\frac{1}{4}$ "	Pin Punch
47	$\frac{5}{16}$ " x $\frac{1}{8}$ "	"
47	$\frac{3}{8}$ "	"
1383		Plastic Tip Hammer
9604		Plastic Hdle. Screwdriver
9606	"	"
9622	"	"
9632	"	"
9643	"	"
9652	"	"
9684		Phillips Type Screwdriver
9989		Metal Tool Chest

THE PLOMB LINE IS THE GUARANTEED LINE OF QUALITY TOOLS

Set No. 9989-B

Cannot be shipped complete from factory but
can be assembled by distributor.

If you are looking for a small set to which you can add, if you find it necessary, then this is it. 50 tools you will use every day in that sturdy, handy, roomy Tool Box No. 9989. Read more about this chest in the box section. Remember you save when you buy Plomb sets. Note the contents below.

Tool No.	Description	Tool No.	Description
Cub Items $\frac{3}{8}$" Sq. Drive		Wrenches	
* 5203	$\frac{1}{4}$" Hex Socket	1214	$\frac{7}{16}$ " Comb. O. E. & Box
5210	$\frac{5}{16}$ " 12-pt. Socket	1216	$\frac{1}{2}$ " " "
5212	$\frac{3}{8}$ " " "	1218	$\frac{9}{16}$ " " "
5214	$\frac{7}{16}$ " " "	1220	$\frac{5}{8}$ " " "
5216	$\frac{1}{2}$ " " "	1222	$1\frac{1}{16}$ " " "
5218	$\frac{9}{16}$ " " "	1224	$\frac{3}{4}$ " " "
5220	$\frac{5}{8}$ " " "	1226	$1\frac{3}{16}$ " " "
5222	$1\frac{1}{16}$ " " "	1228	$\frac{7}{8}$ " " "
5224	$\frac{3}{4}$ " " "	1230	$1\frac{5}{16}$ " " "
5249	Reversible Ratchet	1232	1" " "
5265	Hinge Handle	3425	$\frac{7}{16}$ "x $\frac{1}{2}$ " Tappet Wrench
5260	$3\frac{1}{2}$ " Extension	3426	$\frac{1}{2}$ "x $\frac{9}{16}$ " " "
5262	12" Extension		
5270	Universal Joint		
Standard Items $\frac{1}{2}$" Sq. Drive		Miscellaneous Items	
5416	$\frac{1}{2}$ " 12-pt. Socket	351	Hack Saw
5418	$\frac{9}{16}$ " " "	9784	Phillips Type Serwdrvr.
5420	$\frac{5}{8}$ " " "	9804	Plastic Handle Serwdrvr.
5422	$1\frac{1}{16}$ " " "	9822	" " "
5424	$\frac{3}{4}$ " " "	9832	" " "
5426	$1\frac{3}{16}$ " " "	9701	Wood Handle Serwdrvr.
5428	$\frac{7}{8}$ " " "	9708	" " "
5430	$1\frac{5}{16}$ " " "	209	Diagonal Pliers
5432	1" " "		
5449	Reversible Ratchet	9989	Metal Tool Chest
5467	15" Hinge Handle	* TEMPORARILY DISCONTINUED	
5460	$2\frac{1}{2}$ " Extension		
5463	10" " "		
5470	Universal Joint		





Mr. Tractor owner, or mechanic—Just glance at the contents listed below and you will agree here is the Tractor Tool Set for you. A real Bull-dozer set that won't let you down in the emergency.

Tool No.	Description
5420	5/8" 1/2" Dr. 12-pt. Socket
5422	1 1/16" " " "
5424	3/4" " " "
5426	1 3/16" " " "
5461	5" 1/2" Drive Extension
5468	18" 1/2" Drive Hinge Handle
5470	Universal Joint
5528	7/8" 3/4" Dr. Hex Socket
5530	1 5/16" " " "
5532	1" 3/4" Dr. 12 pt. Socket
5534	1 1/16" " " "
5536	1 1/8" " Hex Socket
5540	1 1/4" " 12 pt. Socket
5542	1 5/16" " " "
5548	1 1/2" " " "
5661	8" " Extension
5685	" " Sliding Bar
9804	4" Wood Handle Screwdriver
9808	8" " " "
9980	Sturdy Metal Tool Chest

PLUMB *Streamlined Tools*

15


COMPLETE TOOLMOBILE

"The Modern Mobile Work Bench"


Here's the finest tool box your money can buy. It's convenient and impressive—tops for efficient operation. One piece construction with all parts joined by spot welding. Chest 29½" high without castors or piston rack. 28" wide, 17¾" from front to back. Lustrous chinese red enamel finish. Weight complete without tools, 119 pounds, boxed for shipment. Strong as a steel safe. A Plumb Toolmobile saves hours of time and effort. The most popular roller box on the market.

SPECIFICATIONS

- (1) Bolted on rack, has 16 holes and 8 slots for pistons, valves, and tools.
 - (2) Large working surface 17¾" x 28"
 - (3) Barrel lock with locking bar secures everything with one key. Locking bar drops in slot at left out of way when chest is not in use.
 - (4) Side rail on each side for socket rack.
 - (5) Drawer 3" deep, complete with adjustable dividers.
 - (6) Drawer — 5" deep with perforated bottom for easy cleaning and to hold movable partitions.
 - (7) Drawer — 5" deep. Solid bottom with removable sliding tray.
 - (8) Large compartment 9½" high. Front panel slides under drawer above.
 - (9) Ventilators on both sides.
 - (10) Rounded streamlined corners.
 - (11) 4" rubber tired, ball bearing castors. Front castors with foot operated brakes.
 - (12) 6" x 6" steel reinforcement plate under top for attaching light bolt on vise.
 - (13) All corners reinforced on inside for added strength and rigidity.
 - (14) All drawers run on ball bearing rollers.
- 9969-7** Piston Rack for Toolmobile.
Weight, 6 lbs.



No. 9969-1 TOOLMOBILE with Piston Rack



No. 9969-1 TOOLMOBILE Open

THE PLUMB LINE IS THE FULL LINE OF QUALITY TOOLS

PLUMB

Streamlined Tools

MODERN TOOL BOXES For All Purposes

No. 9998—Master Tool Chest

Folding handles. Spring clips inside lid. Finished in brilliant Chinese red. Will hold shape with full load.

Weight, 77 lbs. Outside dimensions: 12" wide, 26½" long, 20½" high. Top compartment 7½" deep. Top drawer 1½" deep with compartment for small sockets. Second drawer 1½" deep, with two adjustable partitions. Third drawer 3¼" deep, with two adjustable partitions. Bottom drawer 3½" deep, with two movable partitions.

Front slides under bottom drawer. With lid closed, front covers drawers, and is locked with spring controlled bolts. One lock secures everything.


No. 9998—Master Chest, complete as **STREAMLINE PORRILY**

No. 9998A—Master Chest, complete with **SAFETY** No. 19970 Tray and No. 5497 Socket Rack.

No. 9990—Master Tool Chest

The Tool Chest you have longed for. Streamlined, deluxe. As modern as young ideas. Smooth contours, rounded edges. Finished in brilliant Chinese Red.

Overall dimensions 11¼" wide, 12¾" deep, 24½" long, wt. 37 lbs. Cantilever tray in top swings up with lid and is partitioned for small tools. Drawers run with finger tip ease. One padlock secures everything.



MASTER TOOL CHEST No. 9998




MASTER TOOL CHEST No. 9990

THE PLUMB LINE IS THE ACCEPTED LINE IN ALL INDUSTRIES

No. 9989--Master Tool Chest


Made of sheet steel, welded and riveted; dark red baked enamel finish. Hinged tray swings up with lid. Removable tray gives easy access to large interior.

Overall dimensions: 9" deep, 11 $\frac{1}{2}$ " wide, 20 $\frac{1}{2}$ " long. Hinged tray 1 $\frac{1}{4}$ " deep, 5 $\frac{1}{2}$ " wide, 19" long. Front tray 1 $\frac{1}{2}$ " deep, 5 $\frac{1}{2}$ " wide, 19" long. Bottom comp. 6" deep, 11" wide, 20" long. Fixed tray in top space 2 $\frac{1}{2}$ " deep, 4 $\frac{3}{4}$ " wide, 20" long. Each tray and bottom compartment have separate section for sockets or small tools. Heavy hasp fits over staple on hinged front to lock chest securely. Strong folding handles. Weight, empty, 20 lbs. Shipping wt., 22 lbs.



No. 9989

* **No. 9920--Handy Tool Tray**
9" wide, 19" long, 5 $\frac{1}{2}$ " deep under handle. Side compartment for sockets, small tools, etc. Weight, 4 lbs.



No. 9920

No. 9980--Utility Box

22 $\frac{1}{4}$ " long, 9" wide, 6 $\frac{1}{2}$ " high, with drop front and drop handles at each end. Dark red wrinkle finish. Heavy gauge steel. Weight empty, 11 lbs.

Socket Racks


Made with clip on back, which slips over edge of box or partition. Can be carried on side of Tote Tray or can be put in a convenient place on wall or bench. Sockets fit firmly on rack. Made of heavy sheet steel, dark red baked enamel finish.

No. 5297—Cub Socket Rack, 18 $\frac{1}{4}$ " long; has 17 clips for sockets with $\frac{3}{8}$ " square drives.

No. 5497—Standard Socket Rack, 18 $\frac{1}{2}$ " long; has 17 clips for sockets with $\frac{1}{2}$ " square drives.



No. 9980



No. 5297 5497

▽ PLUMB ▽ *Streamlined Tools*

No. 5894—Extra-Heavy-Duty Box

5" deep, 8 $\frac{1}{4}$ " wide and 30" long, inside dimensions, to fit the Extra-Heavy-Duty handles and sockets-described on page 52. Also used for large Heavy-Duty sets, with $\frac{3}{4}$ " square drive, especially with the larger sockets. Made extra-heavy throughout, welded, riveted and strongly reinforced. Weight, 28 lbs.



No. 5894

No. 5695—Heavy-Duty Tool Box

For Heavy-Duty Socket Sets with $\frac{3}{4}$ " drive. Lid reinforced with steel cross-ribs. Handle, on top of lid, folds flush into recess. Three compartments, as shown, just right for heavy-duty sockets and handles. Double-hinged; locks with two spring hasps. 3 $\frac{3}{4}$ " deep, 8" wide, 22 $\frac{1}{2}$ " long, inside measurements; weight, 8 $\frac{1}{4}$ lbs.



No. 5695

No. 5495—Standard Tool Box

A heavy-gauge steel box with socket compartment lengthwise of box, and compartment at front for extra sockets, cotter keys, small tools, etc. Clips inside top for speeder handle. Hooked staple holds cover down tight. Handle folds out of way when not in use. 1 $\frac{3}{4}$ " deep, 8 $\frac{1}{4}$ " wide, 19" long. Red baked enamel finish. Wt. 5 $\frac{1}{4}$ lbs.



No. 5495

No. 5295—Cub Tool Box


A convenient small box, 1 $\frac{1}{2}$ " deep, 4 $\frac{1}{4}$ " wide, 18 $\frac{1}{2}$ " long. Handy for trouble-shooting, as it is a convenient size to carry. Wt. 2 $\frac{1}{2}$ lbs.



No. 5295

THE PLUMB LINE IS THE MODERN LINE OF FINE HAND TOOLS

PLUMB *Streamlined Tools*



No. 4795

No. 4795--Midget Tool Box


Just the box to hold your Plumb Midget Tools. A sturdy steel box 6-1/2" long by 2-5/8" wide by 1" deep. Wt. 1 lb. Finished in a brilliant Chinese Red. It will help you keep your smaller tools in orderly array.

Leatherette Rolls for Tool Kits

Made of heavy first-grade leatherette, with strongly stitched seams and bound edges. Handsome in appearance, black trimmed with silver. Nos. 2408, 2410 and 2411 have snaps, all others have heavy woven tie strings.



TOOL ROLLS




No. 2424

Roll No.	Dimensions Laid Flat	No. of Pockets
*2401	7 5/8"x26 1/2"	23
*2402	7 1/2"x14"	12
2403	10"x8 1/4"	6
2404	17"x10 1/2"	7
2405	18 1/4"x14 3/8"	6
2406	21 5/8"x21 1/4"	8
**2408	14 1/8"x8 7/8"	4
**2410	8 5/8"x12 7/8"	11
**2411	8 1/4"x6 1/2"	5
*2412	31"x32"	15
2413	26 1/2"x25 1/2"	13
*2424	12 1/4"x36"	44 Loops

* Flap is extra piece, stitched on at top.

** Equipped with snaps instead of tie strings.




* **No. 2424**
 is smart-carrying case for the small jobs.

* **No. 2424—Tool Roll**
 The **MIDPOB** leatherette, lined with thick green felt with green felt flaps top and bottom to cover the tools. 12 1/4" wide by 36" long.


THE PLUMB LINE IS THE FULL LINE OF QUALITY TOOLS

▽ PLOMB ▽ *Streamlined Tools*


Cannot be shipped complete from factory but
can be assembled by distributor.



No. 5500-A



No. 5500-B



No. 5500-OC

THE PLOMB LINE IS THE SURE LINE FOR COMPLETE SATISFACTION

Specifications--Heavy Duty **3/4" Square Drive Sets**

Cannot be shipped complete from factory but can be assembled by distributor.

Socket and Attachment Set **No. 5500-A**

The Handles and Sockets of this big heavy duty set are geared for severe service. A set you can depend on to finish the job. This is a very complete set, and leaves little to be asked for when heavy work is at hand. Note specifications below: Wt. 56 lbs.

Socket and Attachment Set **No. 5500-B**

A much smaller set than listed above but a very useful and economical set. Not a surplus item in the lot. Each tool will find action in everyday use. See contents below: Wt. 22 lbs.

Tool No.	Description
5528	7/8" 12 point Socket
5530	15/16" " "
5532	1" " "
5534	1 1/16" " "
5536	1 1/8" " "
5538	1 3/16" " "
5540	1 1/4" " "
5542	1 5/16" " "
5544	1 3/8" " "
5546	1 7/16" " "
5548	1 1/2" " "
5550	1 9/16" " "
5552	1 5/8" " "
5554	1 11/16" " "
5556	1 3/4" " "
5558	1 13/16" " "
5560	1 7/8" " "
5564	2" " "
5568	2 3/8" " "
5649	Reversible Ratchet
5661	8 inch Extension
5663	16 inch " "
5668	18 inch Hinge Handle
5685	18 inch Sliding Bar
5686	18 inch Ell Handle
5695	Heavy Metal Box

Tool No.	Description
5534	1 1/16" 12 point Socket
5536	1 1/8" " "
5540	1 1/4" " "
5542	1 5/16" " "
5546	1 7/16" " "
5548	1 1/2" " "
5552	1 5/8" " "
5556	1 3/4" " "
5661	8" Extension
5685	18 inch Sliding Bar
5695	Heavy Metal Box

Socket and Attachment Set **No. 5500-OC**

A set selected by Plomb originally for the oil industry. Its universal use there was not exceeded by a heavy demand for this set in other forms of heavy industry. It would be almost impossible to make a more perfect set. Specifications follow: Wt. 30 lbs.

Tool No.	Description
5528	7/8" 12 point Socket.
5534	1 1/16" " "
5540	1 1/4" " "
5546	1 7/16" " "
5552	1 5/8" " "
5558	1 13/16" " "
5564	2" " "
5649	Reversible Ratchet
5661	8 inch Extension
5668	18 inch Hinge Handle
5668PH	Pin Handle
5670	Universal Joint
5695	Heavy Metal Box

✓ PLUMB ✓

Streamlined Tools

1/2" SQUARE DRIVE SETS


Cannot be shipped complete from factory but can be assembled by distributor.

Socket and Attachment Set No. 5400-OC

Originally designed for use in the oil industry but became so popular in all phases of industry it has been termed the "Super Set." If you work in the oil, ship-building or allied fields, this is just the set for you. Details below:

Tool No.	Description
5414	7/16" 12 point Socket
5416	1/2" "
5418	9/16" "
5419	19/32" "
5420	5/8" "
5421	21/32" "
5422	11/16" "
5424	3/4" "
5425	25/32" "
5426	13/16" "
5428	7/8" "
5430	15/16" "
5431	31/32" "
5432	1" "
5434	1 1/16" "
5436	1 1/8" "
5438	1 3/16" "
5440	1 1/4" "
5449	Reversible Ratchet
5460	2 1/2" Extension
5461	5" "
5463	10" "
5466PH	Pin Handle
5468	18" Hinge Handle
5470	Universal Joint
5480	18" Speed Handle
5495	Metal Box

Wt., 14 lbs.




Socket and Attachment Set No. 5400-T

A lead horse in tool sets. This set has been standard with Plumb for years. It was so ideally designed and selected at the start that no change has ever been necessary. You will never regret being the owner of the universal set. Contents follow:

Tool No.	Description
5414	7/16" 12 point Socket
5416	1/2" "
5418	9/16" "
5419	19/32" "
5420	5/8" "
5421	21/32" "
5422	11/16" "
5424	3/4" "
5425	25/32" "
5426	13/16" "
5428	7/8" "
5430	15/16" "
5431	31/32" "
5432	1" "
5434	1 1/16" "
5444	3/4" D. L. Screwdriver
5449	Reversible Ratchet
5461	5" Extension
5463	10" "
5466	9 1/2" Hinge Handle
5466PH	Pin Handle
5468	18" Hinge Handle
5470	Universal Joint
5480	18" Speed Handle
5495	Metal Box

Wt., 16 lbs.




THE PLUMB LINE IS THE ENGINEERED LINE FOR GREATEST EFFICIENCY

PLUMB *Streamlined Tools*

Cannot be shipped complete from factory but can be assembled by distributor.

Socket and Attachment **Set No. 5200-A**




Tool No.	Description
5210	5/16" 12 point Socket
5212	3/8" "
5214	7/16" "
5216	1/2" "
5218	9/16" "
5220	5/8" "
5222	11/16" "
5224	3/4" "
5249	Reversible Ratchet
5260	3 1/2" Extension
5263	18" "
5265	7 1/2" Hinge Handle
5266PH	Pin Handle
5270	Universal Joint
5280	18" Speeder
5295	Metal Box Wt. 6 lbs.

A handy set that will cover a wide range of work and general use. Each item especially selected to give you all around utility at minimum cost. An ideal basic set which you can build upon.

Cub 3/8" Square Drive Sets

Cannot be shipped complete from factory but can be assembled by distributor.

Socket and Attachment **Set No. 5200-B**



Tool No.	Description
5212	3/8" 12 point Socket
5214	7/16" "
5216	1/2" "
5218	9/16" "
5220	5/8" "
*5221	2 1/32" "
5222	1 1/16" "
5224	3/4" "
5246	Screwdriver Socket
5249	Reversible Ratchet
5260	3 1/2" Extension
5261	8" "
5270	Universal Joint
5275	1/2" 12 pt. Universal
5276	9/16" "
5277	5/8" "
5278	1 1/16" "
5280	18" Speeder
5295	Metal Box

*Temporarily discontinued

A practical set for a practical mechanic. You want a small compact set of useful tools and this set was designed that way. A goodly assortment of sockets and universals with two all-purpose attachments encased in a sturdy metal box. Weight 5 1/2 lbs.

THE PLUMB LINE IS THE FULL LINE OF QUALITY TOOLS

PLUMB

Streamlined Tools

1/4" SQUARE DRIVE SETS

SOCKETS HEX & 8 POINT

4707	7/32"	4710S	5/16"
4708	1/4"	4711	11/32"
4708S	1/4"	4712	3/8"
4709	9/32"	4714	7/16"
4710	5/16"		

ATTACHMENTS


4766	Hinge Handle
4766PH	Pin Handle
4795	Metal Box

Total—12 Items

Weight—1 Lb.

MIDGET SET No. 4700 F

A Hinge Handle has been one of the most useful items in the mechanic's tool chest. Here is a little midget set of tools built around the Hinge Handle as a base. For all light work.



Cannot be shipped complete from factory but can be assembled by distributor.

MIDGET SET No. 4700 R

Here is your Master set of midget tools. The complete set for all kinds of light work. A splendid assortment of sockets and attachments.

SOCKETS HEX & 8 POINT

4706	3/16" Hex	4736	9/32" Deep
4707	7/32" "	4740	3/16"x1/4" Oval
4708	1/4" "	4741	7/32"x9/32" Ov.
4708S	1/4" 8 pt.	4742	9/16" Spanner
4709	9/32" Hex	4743	1/2" "
4710	5/16" "	4744	Screwdriver
4710S	5/16" 8 pt.	4745	"
4711	11/32" Hex	4746	"
4712	3/8" "	4747	"
4714	7/16" "	235	Midget Pliers

ATTACHMENTS

4749	Ratchet
4760	3-1/2" Extension
4761	6" "
4763	14" "
4766	Hinge Handle
4767	Stub Spin Handle
4769	Spin Type Handle
4770	Universal Joint
4780	Speeder
4785	Slide Bar
3210	13/64"x15/64" O.E. Wrench
3215	7/32"x1/4" "
3220	9/32"x5/16" "
3225	11/32"x3/8" "

Total—35 Items Weight—5 1/4 Lbs.

All in No. 5295 Metal Box.

*Temporarily discontinued

THE PLUMB LINE IS THE LEADING LINE OF FORGED HAND TOOLS

PLUMB Streamlined Tools

Mighty Midget Series—1/4" Drive Square Drive

MIDGET RATCHET
(Regular) No. 4749



Handles and Attachments

Cat. No.	Description	Overall Length
4749	Standard Rev. Ratchet	4 3/4"
*4761	Spl. Rev. Ratch. (Miniratch)	4"
4760	Extension	3 1/2"
4761	Extension	6"
4763	Extension	14"
4766	Hinge Handle	5 1/2"
4766PH	Pin Handle	4"
4767	Stub Handle—Pyroxylin Grip	2 3/8"
*4768	Flexible Spintype Handle	6 1/8"
4769	Spin Type Handle	6"
4770	Universal Joint	1 7/8"
4780	Speed Handle	15 3/4"
4785	Sliding Bar Handle	4 1/2"

* Not Replaceable

*Temporarily discontinued

PARTS FOR 4749 RATCHET


- 4749B Body
- 4749H CoverScrew
- 4749C Cover
- 4749R Rev.Ass'bly.
- 4749DL Dog,L.
- 4749S Spring
- 4749DR Dog,R.
- 4749W WheelwithPlg.

4768

4766

4780

4769



4767



4766-PH



4761



4760



4763

THE PLUMB LINE IS THE POPULAR LINE AMONG EXPERIENCED MECHANICS

PLUMB

Streamlined Tools



4745



4737-8



4744



4746

Screw Driver Sockets—1/4" Square Drive

Tool No.	Length	Description
*4737 No. 1 Phillips Bit 1/4"		Female Drive
*4738 No. 2 Phillips Bit 1/4"		Female Drive
*4739	1/4" x .033"	Bit 1/4"
*4744	3/4" x .030"	1 1/8"
*4745	3/8" x .040"	2 1/8"
*4746	5/16" x .035"	1 1/2"
*4747	5/8" x .038"	3 1/4"

* Not Replaceable

TEMPORARILY DISCONTINUED

Standard Sockets

Cat. No.	Description	Overall Length	Purpose
4706	3/16" Hexagon	1"	General
4707	7/32" Hexagon	1"	"
4708	1/4" Hexagon	1"	"
4709	5/32" Hexagon	1"	"
4710	3/16" Hexagon	1"	"
4711	11/32" Hexagon	1"	"
4712	3/8" Hexagon	1"	"
4714	7/16" Hexagon	1"	"
4716	1/2" 12-Point	1"	"
4708S	1/4" 8-Point	1"	"
4710S	5/16" 8-Point	1"	"

Extra Deep Sockets

4708L	1/4" Hexagon	2"	Aviation,
4709L	3/32" Hexagon	2"	Carburetor,
4710L	1/16" Hexagon	2"	Electrical,
4711L	11/32" Hexagon	2"	Radio, Etc.
4712L	3/8" Hexagon	2"	
4714L	7/16" Hexagon	2"	

Only Midget Tools can do fast, efficient work on intricate jobs--you should have a complete 1/4" Square Drive assortment.



4706-4709




4710-4714



4708L-4709L



4710L-4714L



4770




4708S-4710S

THE PLUMB LINE IS THE ENGINEERED LINE FOR GREATEST EFFICIENCY

MIDGET
SOCKET
SETS

PLUMB V SOCKET AND ATTACHMENT SETS

1/4" SQUARE DRIVE



MIDGET SET NO. 4700 B

More than ever before this midget socket and attachment set is leading the field. For automotive and Refrigeration work this set is particularly adaptable.

Plumb Midget Sets are designed to give you the basic tools to which you can add others as your needs require.

4700 B SET

- 4707 7/32" Hex Socket
- 4708 1/4" Hex Socket
- 4708S 1/4" 8 pt. Socket
- 4709 9/32" Hex Socket
- 4710 5/16" Hex Socket
- 4710S 5/16" 8 pt. Socket
- 4711 11/32" Hex Socket
- 4712 3/8" Hex Socket
- 4714 7/16" Hex Socket
- 4769 Spin Type Handle
- 4785 Sliding Bar
- 4749 Rev. Ratchet
- 4795 Metal Box

4700 BC SET


Same as 4700 B set (less metal box) in cardboard box

4700 AC SET

Same as 4700 A (less metal box) in cardboard box

4700 A SET

Same as 4700 B set less No. 4749 Rev. Ratchet



1/2" DRIVE BASIC SET

ILLUSTRATED IN COLORFUL, STURDY CARDBOARD BOX. 1/2" AND 3/8" DRIVE BASIC SETS ARE ALSO AVAILABLE IN CARDBOARD BOXES FOR THE MAN WHO ALREADY OWNS HIS STEEL BOX.

THE PLUMB LINE IS THE SPEED LINE FOR SAVING TIME

PLUMB *Streamlined Tools* **CUB SOCKETS AND ATTACHMENTS 3/8" SQ. DRIVE**




5265

No. 5246—Cub Screw Driver
Socket, Length 1 1/16"



5270

5241 43



5249

5286PH

5285

No.	DESCRIPTION
	PHILLIPS SCREW DRIVER ATTACHMENTS
	Make a screw driver out of your Cub Handles. 3/8" Sq. Female Drive. Non-replaceable.
*5241	FOR NO. 2 PHILIP SCREWS
*5242	FOR NO. 3 PHILIP SCREWS
*5243	FOR NO. 4 PHILIP SCREWS
5249	CUB REVERSIBLE RATCHET You will find this the lightest and strongest ratchet made. Trouble-free mechanism. Reversible at a flip of the trigger. Length 7".
5265	CUB HINGE HANDLE Has upset knurled handle with hole for pin handle. This type of attachment makes tee or ell shaped attachment when used with Pin Handle or Plumb Extensions. 7 3/8" long.
5266PH	CUB PIN HANDLE Is so useful you can not afford to be without it. Makes tee or ell handles when used in connection with Plumb Extension. 5 1/16" round stock, 7 1/2" long.
5270	CUB UNIVERSAL JOINT Is just the tool you need to get around those corners or when you are working at some difficult angle. Length 1 5/8".
5285	CUB SLIDING BAR Is just what you want for real leverage. There is nothing that beats the sliding bar for all around utility. Plug has friction ball. 8" long.

*Non-replaceable.

THE PLUMB LINE IS THE MAJOR LINE OF FINE FORGED TOOLS

CROWFOOT

Detachable Crowfoot Wrenches by Plomb are available from stock in opening sizes as shown in following table. Used with any $\frac{3}{8}$ " drive handle or attachment.




WRENCHES

Cat. No.	Opening Size	Cat. No.	Opening Size
4912	3/8"	4924	3/4"
4914	7/16"	4926	13/16"
4916	1/2"	4928	7/8"
4918	9/16"	4932	1"
4920	5/8"	4940	1 1/4"
4922	11/16"	4944	1 3/8"

No.	DESCRIPTION												
	CUB EXTENSIONS Are handy for reaching into those hard-to-reach places. All Plomb Extensions have hole for Pin Handle except No. 5259.												
	<table border="1"> <thead> <tr> <th>Length</th> <th>Stock</th> </tr> </thead> <tbody> <tr> <td>1 3/4 in.</td> <td>3/8 in.</td> </tr> <tr> <td>3 1/2 in.</td> <td>3/8 in.</td> </tr> <tr> <td>7 1/2 in.</td> <td>3/8 in.</td> </tr> <tr> <td>12 in.</td> <td>3/8 in.</td> </tr> <tr> <td>18 in.</td> <td>3/8 in.</td> </tr> </tbody> </table>	Length	Stock	1 3/4 in.	3/8 in.	3 1/2 in.	3/8 in.	7 1/2 in.	3/8 in.	12 in.	3/8 in.	18 in.	3/8 in.
Length	Stock												
1 3/4 in.	3/8 in.												
3 1/2 in.	3/8 in.												
7 1/2 in.	3/8 in.												
12 in.	3/8 in.												
18 in.	3/8 in.												
	CUB SPEED HANDLES Just as the name implies . . . You will find them the speediest tools you ever used for fast nut turning. Easy action because of their ball bearing handle knobs. 3/8" stock, 3" throw.												
5280	18 INCHES LONG												
* 5281	14 INCHES LONG												

***Temporarily discontinued**



5261

5280-5281

5262-5263

THE PLUMB LINE IS THE ACCEPTED LINE IN ALL INDUSTRIES

PLUMB

Streamlined Tools

Regular Cub Sockets $\frac{3}{8}$ " Square Drive

Square, Hexagon and 12 Point



12 Point Regular Sockets



Hex and 12 Point Regular Sockets

Catalog Number	Opening Size	Sq.-Hex. or 12 Pt.	USS Bolt Sizes	Amer. Std. Bolt Size	SAE Bolt Size	Overall Length	Inside Clearance
* 5208	$\frac{1}{4}$ "	Hex		4		$1\frac{15}{16}$ "	$\frac{1}{8}$ "
* 5208S	$\frac{1}{4}$ "	Square		4		$1\frac{15}{16}$ "	$\frac{1}{8}$ "
* 5210	$\frac{5}{16}$ "	12 Point	$\frac{1}{8}$ "	5&6		$1\frac{15}{16}$ "	$\frac{1}{2}$ "
* 5210H	$\frac{5}{16}$ "	Hex	"	"		$\frac{7}{8}$ "	$\frac{1}{2}$ "
* 5211	$\frac{11}{32}$ "	12 Point	"	8		$1\frac{15}{16}$ "	
* 5211H	$\frac{11}{32}$ "	Hex	"	8			
* 5212	$\frac{3}{8}$ "	12 Point	$\frac{3}{16}$ "	10		$1\frac{15}{16}$ "	$\frac{1}{2}$ "
* 5212H	$\frac{3}{8}$ "	Hex	"	"		$1\frac{15}{16}$ "	
* 5214	$\frac{7}{16}$ "	12 Point	"	12&14	$\frac{1}{4}$ "	$1\frac{15}{16}$ "	$\frac{1}{2}$ "
* 5214H	$\frac{7}{16}$ "	Hex	"	"		$1\frac{15}{16}$ "	
* 5216	$\frac{1}{2}$ "	12 Point	$\frac{1}{4}$ "	"	$\frac{5}{16}$ "	$1\frac{15}{16}$ "	$\frac{1}{2}$ "
* 5216H	$\frac{1}{2}$ "	Hex	"	"			
* 5218	$\frac{9}{16}$ "	12 Point	$\frac{5}{16}$ "	$\frac{3}{8}$ "	$\frac{3}{8}$ "	1"	$\frac{9}{16}$ "
* 5220	$\frac{5}{8}$ "	do	"	$\frac{3}{8}$ "	$\frac{7}{16}$ "	1"	$\frac{9}{16}$ "
* 5221	$\frac{21}{32}$ "	do	"	"		1"	$\frac{9}{16}$ "
* 5222	$\frac{11}{16}$ "	do	$\frac{3}{8}$ "	$\frac{7}{16}$ "	$\frac{1}{2}$ "	$1\frac{1}{16}$ "	$\frac{5}{8}$ "
* 5224	$\frac{3}{4}$ "	do	"	"		$1\frac{1}{16}$ "	$\frac{5}{8}$ "

Deep Cub Sockets

5014	$\frac{7}{16}$ "	12 Point		12&14	$\frac{1}{4}$ "	$2\frac{1}{8}$ "	$1\frac{3}{4}$ "
5016	$\frac{1}{2}$ "	do	$\frac{1}{4}$ "	"	$\frac{5}{16}$ "	$2\frac{1}{8}$ "	$1\frac{3}{4}$ "
5018	$\frac{9}{16}$ "	do	"	$\frac{5}{16}$ "	$\frac{3}{8}$ "	$2\frac{1}{8}$ "	$1\frac{3}{4}$ "
5020	$\frac{5}{8}$ "	do	"	$\frac{3}{8}$ "	$\frac{7}{16}$ "	$2\frac{1}{8}$ "	$1\frac{3}{4}$ "
* 5000A	Deep Socket Set Inc. 5014-16-18 and 5020. (See P. 24)						

Universal Cub Sockets

5273	$\frac{3}{8}$ "	12 Point	$\frac{3}{16}$ "	10"	$\frac{1}{4}$ "	$1\frac{3}{8}$ "	$\frac{3}{8}$ "
5274	$\frac{7}{16}$ "	do	"	12&14	$\frac{1}{4}$ "	$1\frac{3}{8}$ "	$\frac{3}{8}$ "
5275	$\frac{1}{2}$ "	do	$\frac{1}{4}$ "	"	$\frac{5}{16}$ "	$1\frac{1}{2}$ "	$\frac{7}{16}$ "
5276	$\frac{9}{16}$ "	do	"	$\frac{5}{16}$ "	$\frac{3}{8}$ "	$1\frac{1}{16}$ "	$\frac{1}{2}$ "
5277	$\frac{5}{8}$ "	do	$\frac{3}{8}$ "	"	$\frac{7}{16}$ "	$1\frac{1}{16}$ "	$\frac{9}{16}$ "
5278	$\frac{11}{16}$ "	do	"	"	"	$1\frac{13}{16}$ "	$\frac{9}{16}$ "
5279	$\frac{3}{4}$ "	do	"	$\frac{7}{16}$ "	$\frac{1}{2}$ "	$1\frac{13}{16}$ "	$\frac{9}{16}$ "



Universals

TEMPORARILY DISCONTINUED
 10 & 14 mm. Spark Plug Sockets. Rubber Linings. A, B in picture) protects porcelain. Standard. Prevents going on too far. See P. 24.

No.	Hex. Size	No.	Hex. Size
5018SP	$\frac{9}{16}$ "	5028SP	$\frac{7}{8}$ "
5020SP	$\frac{5}{8}$ "	5030SP	$1\frac{1}{8}$ "
5022SP	$\frac{11}{16}$ "	See Sets	$\frac{3}{4}$ "-10MM AC-Y Series.
5026SP	$\frac{3}{4}$ "	Page 24	$\frac{13}{16}$ "-14MM All Makes.

*** TEMPORARILY DISCONTINUED ***
BUY PLUMB SELECTED SETS
AND SAVE!



5018SP

THE PLUMB LINE IS THE SURE LINE FOR COMPLETE SATISFACTION

PLUMB

SOCKET and ATTACHMENT SETS

SOCKET AND
ATTACHMENT
MEDIUM DUTY
SETS

3/8" SQ. DRIVE

SOCKET AND ATTACHMENT SET 5200 SR SET


This is an ideal basic set upon which you can build your tool set of the future. Initial items are selected to give the utmost in utility, yet within a minimum cost.

5200 SR SET	
5212	3/8" 12 point socket
5214	7/16" 12 point socket
5216	1/2" 12 point socket
5218	9/16" 12 point socket
5220	5/8" 12 point socket
5222	11/16" 12 point socket
5224	3/4" 12 point socket
5260	Extension 3-1/2" long
5265	Hinge Handle
5249	Rev. Ratchet
5295	Metal Box

Same as No. 5200-SR set less No. 5249 Rev. Ratchet.


5200-NR SET
No. 5200-NR (in Cardboard Box) same as No. 5200-SR set less No. 5295 Metal Box.

5200-N SET
No. 5200-N set (in Cardboard Box) same as No. 5200-SR set less No. 5249 Rev. Ratchet and No. 5295 Metal Box.



3/8" SQ. DRIVE SOCKET AND ATTACHMENT SET NO. 5200 SR

1/2" SQ. DRIVE SOCKET AND ATTACHMENT SET NO. 5400SR



5400 SR SET	
5414	7/16" 12 point socket
5416	1/2" 12 point socket
5418	9/16" 12 point socket
5420	5/8" 12 point socket
5422	11/16" 12 point socket
5424	3/4" 12 point socket
5426	13/16" 12 point socket
5428	7/8" 12 point socket
5430	15/16" 12 point socket
5432	1" 12 point socket
5461	Extension 5" long

5467	Hinge Handle 15" long
5449	Rev. Ratchet
5495	Metal box

Same as No. 5400-SR set less No. 5449 Rev. Ratchet.

5400-NR SET
No. 5400-NR set (in Cardboard Box) same as No. 5400-SR set less No. 5495 Metal Box.

5400-N SET
No. 5400-N set (in Cardboard Box) same as No. 5400-SR set less No. 5449 Rev. Ratchet and No. 5495 Metal Box.

1/2" SQ. DRIVE

A proven set that has won wide approval through its practical usefulness.

THE PLUMB LINE IS THE MAJOR LINE OF FINE FORGED TOOLS

PLUMB *Streamlined Tools*

Standard Sockets and Attachments—1/2" Drive

5449 REVERSIBLE RATCHET.

The strongest, lightest and thinnest ratchet made. Reversible at a flip of the lever. Length 10 1/4". Wt. 1 1/2 lbs.


RATCHET PARTS.

- 5449B Body
- 5449C Cover
- 5449DL Dog, Left
- 5449DR Dog, Right
- 5449H Cover Screw
- 5449R Rev. Assembly
- 5449S Spring
- 5449W Wheel with Plug

THE HINGE HANDLE.

Three for you to choose from. All upset knurled handles drilled with pinhole. Slender shanks, lightness and balance.

- 5466 9 1/2" LONG, WEIGHT 3/4 lb.
- 5467 15" LONG, WEIGHT 1 1/4 lb.
- 5468 18" LONG, WEIGHT 1 3/4 lb.,



5488	5467	5466	5449	5486	5485	5466PH
------	------	------	------	------	------	--------

5466PH PIN HANDLE.

A handy little bar to be used with any Plumb extension or hinge handle. 11 1/2" long, 1/2" stock.

5485 THE SLIDING BAR.

Friction Ball Hold Plug in any position. Used as a "T" or off-set handle. 14" long, weight 1 1/4 lb.

5486 THE ELL HANDLE.

Where real leverage is required the ell handle is tops. 14" long, weight 1 1/4 lb.



PLUMB TORKERS

Featuring 2-Way Drive, 1/2" connections with Floating Handle. No moving parts to break or get out of commission. Accuracy assured.

- 5401—Calibrated up to 50 foot pounds.
- 5402—Calibrated up to 100 foot pounds.
- 5403—Calibrated up to 150 foot pounds.

THE PLUMB LINE IS THE SAFE LINE FOR ALL MECHANICS

Increase the range of your Cub and Standard Sets with Plomb Adaptors. Makes it possible to use Cub Sockets with Standard Drive Attachments and vice versa. The same is true with your Heavy Duty Sets too. See Pages 36-39.

- 

- ## PLUMB EXTENSIONS.

Increase to a wider range the use of your sockets and attachments. Each Plomb extension drilled with hole for pin handle except No. 5460.

- SPEED HINGE HANDLE.**

Combines the features of a speeder and hinge handle. Ball bearing grip. 7" Dia. Swing.

- 9/16" Stock 16" Long, Wt. 1 3/4 lb.

5470 UNIVERSAL JOINT.


Nothing makes your work easier than a Universal Joint when working at some difficult angle.

SPEED HANDLES.

Nothing finer than these Ball Bearing Speeders for really speeding nuts on or off.

- 5480 18" Long 1/2" Stock, Ball Bearing, Knurled Grip 4" Throw.

- ~~5482 18" Long, 3/8" Stock, Ball Bearing,
Knurled Grip 3" Throw.~~



- | | | |
|------|------|------|
| 5461 | 5469 | 5463 |
| 5460 | 5480 | 5482 |
| | | 5464 |

THE PLOMB LINE IS THE GUARANTEED LINE OF QUALITY TOOLS

PLUMB

Streamlined Tools

Standard Sockets 1/2" Square Drive



12 POINT



12 POINT EXTRA DEEP



8 POINT



*

SQUARE



12 POINT UNIVERSALS

Cat. No.	Opening Size	U.S.S. Bolts & Nuts	Amer. Std. Bolts & Nuts	S.A.E. Bolt Size	Overall Length	Inside Clearance
----------	--------------	---------------------	-------------------------	------------------	----------------	------------------

STANDARD 12 POINT

5414	7/16	1/4	12 & 1/4	1/4	13/8	3/4
5416	1/2	1/4	5/16	5/16	13/8	3/4
5418	9/16	5/16	3/8	3/8	13/8	3/4
5419	19/32	3/8	7/16	7/16	13/8	3/4
5420	5/8	3/8	1/2	1/2	13/8	7/8
5421	27/32	3/8	1/2	1/2	13/8	7/8
5422	11/16	3/8	7/16	1/2	13/8	7/8
5424	3/4	7/16	1/2	1/2	13/8	7/8
5425	29/32	7/16	1/2	1/2	13/8	7/8
5426	13/16	1/2	9/16	9/16	13/8	1
5428	7/8	1/2	5/8	5/8	13/4	1
5429	29/32	5/8	3/4	3/4	13/4	1
5430	19/16	5/8	3/4	3/4	13/4	1
5431	31/32	5/8	3/4	3/4	13/4	1
5432	1	5/8	3/4	3/4	13/4	1
5434	1 1/16	3/4	7/8	7/8	13/4	1 1/4
5436	1 1/8	3/4	7/8	7/8	13/4	1 1/4
5438	1 3/16	3/4	7/8	7/8	13/4	1 1/4
5440	1 1/4	3/4	7/8	7/8	13/4	1 1/4

STANDARD 12 POINT EXTRA DEEP

5340	3/2	1/4	5/16	5/16	31/4	23/4
5341	9/16	3/8	7/16	7/16	31/4	23/4
5343	5/8	3/8	1/2	1/2	31/4	23/4
5344	11/16	3/8	1/2	1/2	31/4	23/4
5345	3/4	1/2	9/16	9/16	31/4	23/4
5347	19/16	1/2	5/8	5/8	31/4	23/4
5348	7/8	1/2	3/4	3/4	31/4	23/4
5348S	7/8	1/2	3/4	3/4	31/4	23/4
5349	19/16	5/8	11/16	11/16	31/4	23/4
5351	1	5/8	3/4	3/4	31/4	23/4
5352	1 1/16	5/8	3/4	3/4	31/4	23/4
5353	1 1/8	5/8	3/4	3/4	31/4	23/4

STANDARD 8 POINT

5412S	3/8		10	13/8	3/4
5414S	7/16		12 & 1/4	13/8	3/4
5416S	1/2	1/4		13/8	3/4
5418S	9/16		5/16	13/8	3/4
5406SA	Set of 4 sockets as listed				
5420S	5/8		3/8	13/8	7/8
5422S	11/16	3/8		11/2	1
5424S	3/4		7/16	11/2	1
5426S	13/16		1/2	11/2	1
5428S	7/8	1/2	9/16	13/4	13/4
5432S	1			2	2
5434S	1 1/16	5/8		2	1 1/2
5440S	1 1/4	3/4		2	1 1/2

UNIVERSAL SOCKETS 12 POINT

5475	1/2	1/4	5/16	9/16	125/32	
5476	9/16	3/8	3/8	7/16	113/16	
5477	5/8	3/8	3/8	7/16	117/8	
5478	11/16	3/8	7/16	1/2	115/16	
5479	3/4	1/2	1/2	1/2	9	

Universal Joint, Overall Length, 21/64 in.

**Temporarily discontinued

THE PLUMB LINE IS THE LEADING LINE OF FORGED HAND TOOLS

HEAVY DUTY SOCKETS AND ATTACHMENTS **3/4" SQUARE DRIVE**



No. 5649



5668PH

REVERSIBLE RATCHET, complete with Adaptor Plug. Precision made, overall length 20". (5648 is Ratchet without 5652 Plug.) Wt., 5 1/2 lbs.

No. 5649

RATCHET PARTS 5649

*5649B — Body	5649R Rev. Assembly
5649C Cover	5649S Spring
5649DL Dog Left	5649W Wheel
5649DR Dog Right	5652 Female Flanged Drive Plug
5649H Cover Screw	

***Temporarily discontinued**

No. 5668

HEAVY DUTY HINGE HANDLE. Hinged plug operates at any angle and is held firmly in position by friction ball. 22" long. Wt., 3 1/2 lbs.

No. 5685

SLIDING BAR HANDLE. 1 3/8" diameter bar is 18" long. Friction ball in plug holds it at any point on bar. Wt., 3 1/4 lbs.

No. 5686

HEAVY-DUTY ELL HANDLE. A very handy tool that gives powerful leverage; deeply knurled grip; 17" long. Wt., 4 1/2 lbs.

No. 5660 5" EXTENSION.	} With Hole for Pin Handle.
No. 5661 8" EXTENSION.	
No. 5663 16" EXTENSION.	

No. 5668PH PIN HANDLE. 5/8" Stock, 12" long

56986

5660-61-63


5668

5685

THE PLOMB LINE IS THE ACCEPTED LINE IN ALL INDUSTRIES

PLUMB

Streamlined Tools



12 POINT

Heavy Duty 3/4" Square Drive Sockets



* HEXAGON

Catalog No.		12 pt. Open- ing	SAE Bolt Size	U.S.S. Bolt Size	Amer. Std. Bolt Size	Overall Length	Inside Clear- ance
Standard 12 Pt.	Std. Hex.						
5528	* 5528H	7/8"	9/16"	1/2"	9/16"	1 3/4"	1"
5530	* 5530H	1 5/16"	5/8"	5/8"	5/8"	1 3/4"	1"
5532		1"	11/16"			2"	1 1/4"
5534		1 1/16"	3/4"	5/8"	3/4"	2"	1 1/4"
5536	* 5536H	1 1/8"				2 5/16"	1 9/16"
5538		1 3/16"				2 5/16"	1 9/16"
5540		1 1/4"	7/8"	3/4"	7/8"	2 1/2"	1 3/4"
5542		1 5/16"				2 5/8"	1 7/8"
5544		1 3/8"				2 5/8"	1 7/8"
5546		1 7/16"	1"	7/8"	1"	2 5/8"	1 7/8"
5548		1 1/2"				3 1/2"	2 3/4"
5550		1 9/16"				3 1/2"	2 3/4"
5552		1 5/8"	1 1/8"	1"	1 1/8"	3 1/2"	2 3/4"
5554		1 11/16"				3 1/2"	2 3/4"
5556		1 3/4"				3 1/2"	2 3/4"
5558		1 13/16"	1 1/4"	1 1/8"	1 1/4"	3 1/2"	2 3/4"
5560		1 7/8"				3 1/2"	2 3/4"
5564		2"	1 3/8"	1 1/4"	1 1/2"	3 1/2"	2 3/4"
5568		2 1/8"				3 13/16"	3 1/16"
5572		2 1/4"				3 7/8"	3 1/8"
5576		2 3/8"					

*Temporarily discontinued

No. 5670

UNIVERSAL JOINT,
3 1/32" overall length. 3/4"
male and female drives.

Socket Adaptors

5453 1/2" square male by 3/4" sq. female.
5663 3/4" square male by 1/2" sq. female.
5853 1" square male by 3/4" sq. female.
5854 3/4" square male by 1" sq. female.



THE PLUMB LINE IS THE MODERN LINE OF FINE HAND TOOLS

SOCKET and ATTACHMENT SETS

SOCKET AND
ATTACHMENT
HEAVY DUTY
SETS


3/4" SQ. DRIVE

TOOL NO.	5500 NR SET
5534	1-1/16" 12 point socket
5536	1-1/8" 12 point socket
5540	1-1/4" 12 point socket
5542	1-5/16" 12 point socket
5546	1-7/16" 12 point socket
5548	1-1/2" 12 point socket
5552	1-5/8" 12 point socket
5556	1-3/4" 12 point socket
5661	Extension 8" long
5685	Sliding Bar
5649	Rev. Ratchet
5695	Metal Box

5500 N SET

Same as above less No. 5649 Rev.

Ratchet




SOCKET AND ATTACHMENT SET NO. 5500 NR

Designed for tough service, this complete, dependable set leaves little to be desired, when the job calls for heavy work.

1"
SQ. DRIVE

TOOL NO.	DESCRIPTION
5758	1-13/16" 12 point socket
5764	2" 12 point socket
5770	2-3/16" 12 point socket
5776	2-3/8" 12 point socket
5782	2-9/16" 12 point socket
5788	2-3/4" 12 point socket
5848	Reversible Ratchet
5852	1" Plug for Above Ratchet
5868	27" Hinge Handle
5861	8" Long Extension
5884	24" Sliding Bar
5885	Sliding Plug for Above Bar
5894	Heavy Metal Box



SOCKET AND ATTACHMENT SET NO. 5700-OC *

***Temporarily discontinued**


For those really tough jobs that demand extra sturdy tools, this set has all the answers. It's as complete as it is serviceable.

THE PLOWB LINE IS THE SAFE LINE FOR ALL MECHANICS

PLOMB *Streamlined Tools* **Extra Heavy Duty--1" Square Drive**

1" Square Drive

No. 5849



THE PLOMB RATCHET


The big berth of ratchets. Made strong for powerful pulls at high speed. Reversible, Interchangeable Drive Plugs. Wt. 12 lbs. 26" overall length.

5848—Ratchet only 1" sq. female wheel.

5852—1" square male adaptor plug.

~~5856—1" $\frac{3}{4}$ " square male adaptor plug.~~

5849—Ratchet complete 1" sq. male drive.



RATCHET REPAIR PARTS FOR 5848

~~5848B—Body~~ **5848R—Rev.**

5848C—Cover

5848DL—Dog, Left **5848S—Spring Assembly**

5848DR—Dog, Right **5848W—Wheel**

5848H—Cover ~~**5849W—Male**~~

Screws

~~Wheel~~

**Temporarily discontinued*



5861



5863



5868



5884



5885

THE PLOMB LINE IS THE SPEED LINE FOR SAVING TIME

▽ PLUMB ▽ Extra Heavy Duty--1" Square Drive

Extensions

Extensions make it possible to get into those hard-to-reach places. Used with every attachment and socket on this page.

5861--9" EXTENSION

1" square connections. Female end drilled for 1" bar. Friction ball holds bar firmly at any point. Wt. 2½ lbs.

5863--18" EXTENSION

Same specifications as No. 5861. Wt. 4½ lbs.



Adaptors

Adaptors increase the range of your tools. They make it possible to use ¾" Drive sockets with these 1" drive attachments or the 1" drive sockets with your ¾" drive attachments.


5853--1" square male by ¾" square female.
5854--¾" square male by 1" square female.

* No. 5866--HINGE HANDLE

You will find this the handiest tool for nut turning you ever used. 26" long, 1¼" diameter handle, knurled grip. 1" male connection. Wt. 8½ lb.

5884--1" BAR

This handy bar is used to turn the Big Plumb Sockets which are drilled with a hole to fit this bar. Used as a Handle to make a T drive with Plumb extensions. 24" long. Equipped with spring ball stop on one end. Wt. 5¼ lbs.



5885--SLIDING PLUG

Used with No. 5884 Bar as Sliding Bar Handle. Has friction ball to hold it firmly at any point on bar. Wt. 1¼ lbs.

EXTRA HEAVY-DUTY SOCKETS

Big, sturdy sockets that can take real rugged punishment. Bell shaped for lightness. Each socket drilled with hole so they can be used with sliding bar handle.

No.	12-Point Opening	U.S.S. Bolt Size	Amer. Std. Bolt Size	S.A.E. Bolt Size	Overall Length	Inside Clearance
* 5752	1 5/8"	1"		1 3/8"	3 1/4"	2 1/4"
* 5758	1 3/4"	1 1/8"		1 1/4"	3 9/16"	2 9/16"
5760	1 7/8"	1 1/2"	1 1/4"	1 3/8"	3 3/8"	2 3/8"
5764	2"	1 3/4"	1 3/8"	1 1/2"	3 7/16"	2 7/16"
5770	2 1/8"	1 3/8"			3 9/16"	2 9/16"
5772	2 1/4"	1 1/2"	1 1/2"		3 13/16"	2 13/16"
5776	2 3/8"				3 7/8"	2 7/8"
5780	2 1/2"	1 5/8"			3 15/16"	2 15/16"
5782	2 5/8"				4"	3"
5784	2 3/4"	1 3/4"	1 3/4"		4 1/8"	3 1/8"
5788	2 7/8"	1 7/8"			4 3/8"	3 3/8"
5794	3 1/8"	2"			4 7/8"	3 7/8"
5800	3 1/2"	2 1/4"			5 1/2"	4 1/2"
5812						

* 5754 1 11/16" 1 7/8" 3 5/8" 2 5/16"
*Temporarily discontinued


THE PLUMB LINE IS THE SAFE LINE FOR ALL MECHANICS

PLOMB



PLOMB IMPACT SOCKETS AND INTERCHANGE LIST

PLOMB IMPACT SOCKETS

are made from special alloy steel to do better work. Ruggedly constructed they will give long and satisfactory service under the hardest conditions.



TYPE 2

8-POINT
NOT ILLUSTRATED

TYPE 3

1" SQUARE DRIVE

TYPE 3—SQUARE SOCKET

Plomb No.	Wrench Nominal Inches	Overall Length Inches	Nose Diameter Inches	Body Diameter Inches	Snap-On Number	Chicago Pneumatic No.	Ingersoll-Rand Number
*100165	1"	2-1/8"	1-23/32"	2-1/8"	1P732	C-39499	1P732
*100175	1-1/16"	2-1/8"	1-25/32"	2-3/16"	1P734	C-39496	1P734
100185	1-1/8"	2-1/4"	1-29/32"	2-1/4"	1P736	C-39475	1P736
100205	1-1/4"	2-1/4"	2-1/32"	2-3/8"	1P740	C-39599	1P740
100215	1-5/16"	2-5/16"	2-5/32"	2-9/16"	1P742	C-39476	1P742
100235	1-7/16"	2-7/16"	2-3/8"	2-5/8"	1P746	C-39530	1P746
WRENCH NO. 365							
WRENCH NO. 534							

TYPE 2—HEXAGON SOCKET

*10016	1"	2-1/8"	1-7/16"	2-1/8"	1P323	C-39643	1P323
10018	1-1/8"	2-3/16"	1-19/32"	2-1/8"	1P363	C-39644	1P363
10020	1-1/4"	2-3/16"	1-23/32"	2-1/8"	1P403	C-39645	1P403
10021	1-5/16"	2-3/16"	1-13/16"	2-1/8"	1P423	C-39722	1P423
*10022	1-3/8"	2-1/4"	1-15/16"	2-1/4"	C-39646	C-39646	1P423
10023	1-7/16"	2-5/16"	1-15/16"	2-1/4"	1P463	C-39467	1P463
10024	1-1/2"	2-5/16"	2-3/32"	2-5/16"	1P483	C-39497	1P483
10026	1-5/8"	2-7/16"	2-7/32"	2-7/16"	1P523	C-39533	1P523
10027	1-11/16"	2-7/16"	2-5/16"	2-9/16"	1P543	C-39498	1P543
10029	1-13/16"	2-9/16"	2-7/16"	2-3/4"	1P583	C-39474	1P583
10030	1-7/8"	2-9/16"	2-17/32"	2-3/4"	1P603	C-39468	1P603
10032	2"	2-11/16"	2-21/32"	3"	1P643	C-39534	1P643
10033	2-1/16"	2-11/16"	2-3/4"	3"	1P663	C-39723	1P663
10035	2-3/16"	2-13/16"	2-7/8"	3-1/4"	1P703	C-39601	1P703
WRENCH NO. 365							
WRENCH NO. 534							

3/4-INCH SQUARE DRIVE

TYPE 1—8-POINT SQUARE SOCKET

*075165	1"	2-1/16"	1-11/16"	2"	1P632	C-67461	1P632
*075175	1-1/6"	2-1/16"	1-3/4"	2-1/8"	1P634	C-67462	1P634
*075185	1/8"	2-3/16"	1-29/32"	2-1/4"	1P636	C-67463	1P636
*075205	1/4"	2-3/16"	2-1/32"	2-3/8"	1P640	C-67465	1P640
WRENCH NO. 534							

*Temporarily discontinued

TYPE 2—HEXAGON SOCKET


07512	3/4"	1-7/8"	1-5/32"	1-5/8"	1P242	C-67446	1P242
07513	13/16"	1-7/8"	1-5/32"	1-5/8"	1P262	C-67448	1P262
07514	7/8"	2"	1-1/4"	1-5/8"	1P282	C-62246	1P282
07515	15/16"	2"	1-5/16"	1-3/4"	1P302	C-67449	1P302
07516	1"	1-1/16"	1-7/16"	1-7/8"	1P322	C-67450	1P322
07517	1-1/16"	2-1/16"	1-1/2"	1-7/8"	1P342	C-67451	1P342
07518	1-1/8"	2-3/16"	1-19/32"	2"	1P362	C-67452	1P362
07520	1-1/4"	2-3/16"	1-23/32"	2-1/8"	1P402	C-67454	1P402
07521	1-5/16"	2-3/16"	1-13/16"	2-1/8"	1P422	C-67455	1P422
07523	1-7/16"	2-5/16"	1-15/16"	2-1/4"	1P462	C-67457	1P462
WRENCH NO. 511							

THE PLOMB LINE IS THE LEADING LINE OF FORGED HAND TOOLS

Δ PLUMB Δ *Streamlined Tools*

Industrial

STRIKING WRENCH



Pat. Pend.

Striking Wrenches are equipped with square striking shank for use in restricted quarters with a hammer. They are offset to allow maximum clearance. Oxidized Blue finish. Made from Alloy Steel.

An Original Plumb Development!

Cat. No.	12 Point Opening	U.S.S. Bolt Size	Amer. Std. Bolt Size	S.A.E. Bolt Size	Overall Length	Head Thickness	Wt.
2617SW	1 1/16"	5/8"		3/4"	10 3/4"	3/4"	1 1/2
2618SW	1 1/8"		3/4"		10 3/4"	3/4"	1 1/2
2620SW	1 1/4"	3/4"		7/8"	11 1/8"	13/16"	2
2621SW	1 5/16"		7/8"		11 1/8"	13/16"	2
2623SW	1 7/16"	7/8"		1"	12 1/8"	1"	3 1/2
2624SW	1 1/2"		1"		12 1/8"	1"	3 1/2
2626SW	1 5/8"	1"		1 1/8"	12 1/4"	1 1/16"	4
2627SW	1 11/16"		1 1/8"		12 1/4"	1 1/16"	4
2629SW	1 13/16"	1 1/8"		1 1/4"	13 3/16"	1 1/8"	5
2630SW	1 7/8"		1 1/4"		13 3/16"	1 1/8"	5
2632SW	2"	1 1/4"		1 3/8"	13 3/16"	1 1/4"	5 1/2
2635SW	2 3/16"	1 3/8"		1 1/2"	13 1/2"	1 3/8"	7 3/4
2638SW	2 3/8"	1 1/2"			13 3/8"	1 1/2"	8 3/4
2641SW	2 9/16"	1 5/8"			13 7/8"	1 1/2"	8 3/4
2644SW	2 3/4"	1 3/4"			16"	1 7/8"	12 3/4
2647SW	2 15/16"	1 7/8"			16"	1 7/8"	12 3/4
2650SW	3 1/8"	2"			16"	1 7/8"	12 3/4

THE PLUMB LINE IS THE ACCEPTED LINE IN ALL INDUSTRIES

▽ PLUMB ▽ *Streamlined Tools*

SHORT



TYPE

Industrial **Slugging Wrenches--**

Extra heavy duty design in both the short and long types. 12 point openings from 1 $\frac{5}{16}$ " to 3 $\frac{1}{2}$ ". These wrenches are adaptable to all heavy industrial work where space is very limited. Finish oxidized blue. Non-replaceable. **Specifications Opp. Page.**



LONG TYPE

THE PLUMB LINE IS THE POPULAR LINE AMONG EXPERIENCED MECHANICS

Slugging Wrenches

Plumb Industrial Slugging Wrenches are designed for all types of heavy industrial work where the working space is extremely limited or highly congested. The 12 point opening fits snugly upon the bolt or nut and will remain in position while being struck with heavy hammer or sledge.

This wrench has been a boon to shipbuilders, installing or repairing machinery in ships, diesel power plants, railroad repair shops, oil refineries or any place where heavy machinery is located. Non-replaceable.

THE PLOMB LINE IS THE ENGINEERED LINE FOR GREATEST EFFICIENCY

▽ PLOMB ▽ *Streamlined Tools*



Patent Pending

Industrial
WRENCHES
1000 SERIES



Plomb design will clear at approximately 15° less than standard practice minimum centers.

EXTRA HEAVY DUTY DOUBLE END BOX WRENCHES

Superior design, masterful forging, have made these Plomb Box Wrenches the preference of Industry.

These wrenches are made stronger in the neck, or offset, but done without increasing thickness between the broached opening and the under side of the offset. The crescent

shaped neck section is not only stronger but will work in closer places. High pressure flanges and castings with ribs or bosses adjacent to bolt holes are examples of work where minimum rear wall thickness is invaluable. Safety Engineers whole-heartedly endorse these wrenches. Finish Ind. blue.



Patent Pending

2600 SERIES

Industrial
WRENCHES

Extra Heavy Duty Combination Box and Spud End Wrench

You will note a new innovation in this wrench, as Plomb has introduced a real safety factor. It is a combination box wrench with tapered spud handle.

The danger of spreading or slipping, common to the open end wrench under heavy work, is eliminated while this wrench provides the added factor of safety under powerful pulls.

It will help you make quick work of loosening frozen or corroded bolts or nuts. The spud

end is very handy for aligning holes in flanges.

Note in particular the clearance provided by the offset head which overcomes the usual clearance problems. The finish is Industrial Blue. They make an ideal wrench for construction work, oil refineries, etc.

These wrenches are forged from alloy steel and specifications appear on next page.

THE PLOMB LINE IS THE LEADING LINE OF FORGED HAND TOOLS


PLUMB *Streamlined Tools*



BOX WRENCHES 15° ANGLE

The wrench of perfect balance.

Note in the diagram . . . how the angle of the heads clears obstructions. No more skinned knuckles, shank has rounded edges, will not cut into your hand under heavy pulls.



15° OFFSET ALLOWS AMPLE CLEARANCE

No.	12-Point Openings	U. S. S. Bolt Size	S. A. E. Bolt Size	Amer. Std. Bolt Size	Overall Length	Head Thickness
1120	$\frac{5}{16}$ " x $\frac{3}{8}$ "	$\frac{1}{8}$ " - $\frac{3}{16}$ "	$\frac{1}{4}$ "	5&6-10	4"	$\frac{1}{4}$ " - $\frac{1}{4}$ "
1122	$\frac{3}{8}$ " x $\frac{7}{16}$ "	$\frac{3}{16}$ "	$\frac{1}{4}$ " - $\frac{5}{16}$ "	10-12& $\frac{1}{4}$ "	4 $\frac{1}{2}$ "	$\frac{9}{32}$ " - $\frac{9}{32}$ "
1125	$\frac{7}{16}$ " x $\frac{1}{2}$ "	$\frac{1}{4}$ "	$\frac{1}{4}$ " - $\frac{5}{16}$ "	12& $\frac{1}{4}$ "	5"	$\frac{5}{16}$ " - $\frac{5}{16}$ "
1126	$\frac{1}{2}$ " x $\frac{9}{16}$ "	$\frac{1}{4}$ " - $\frac{5}{16}$ "	$\frac{5}{16}$ " - $\frac{3}{8}$ "	$\frac{5}{16}$ "	6 $\frac{1}{4}$ "	$\frac{11}{32}$ " - $\frac{11}{32}$ "
1127	$\frac{1}{2}$ " x $\frac{1\frac{1}{2}}{16}$ "	$\frac{1}{4}$ " - $\frac{5}{16}$ "	$\frac{5}{16}$ "	$\frac{5}{16}$ " - $\frac{3}{8}$ "	7 $\frac{1}{4}$ "	$\frac{11}{32}$ " - $\frac{11}{32}$ "
1130	$\frac{9}{16}$ " x $\frac{5}{8}$ "	$\frac{3}{8}$ " - $\frac{1}{2}$ "	$\frac{3}{8}$ " - $\frac{7}{16}$ "	$\frac{3}{8}$ " - $\frac{7}{16}$ "	7 $\frac{3}{4}$ "	$\frac{3}{8}$ " - $\frac{3}{8}$ "
1131	$\frac{5}{8}$ " x $\frac{3}{4}$ "	$\frac{3}{8}$ "	$\frac{7}{16}$ " - $\frac{1}{2}$ "	$\frac{3}{8}$ " - $\frac{7}{16}$ "	9"	$\frac{13}{32}$ " - $\frac{13}{32}$ "
1134	$\frac{5}{8}$ " x $\frac{11}{16}$ "	$\frac{3}{8}$ "	$\frac{7}{16}$ "	$\frac{3}{8}$ "	9 $\frac{3}{4}$ "	$\frac{13}{32}$ " - $\frac{13}{32}$ "
1135	$\frac{11}{16}$ " x $\frac{3}{4}$ "	$\frac{3}{8}$ "	$\frac{1}{2}$ "	$\frac{7}{16}$ "	10 $\frac{1}{2}$ "	$\frac{7}{16}$ " - $\frac{7}{16}$ "
1136	$\frac{11}{16}$ " x $\frac{7}{8}$ "	$\frac{3}{8}$ " - $\frac{1}{2}$ "	$\frac{9}{16}$ "	$\frac{9}{16}$ "	10 $\frac{1}{2}$ "	$\frac{7}{16}$ " - $\frac{7}{16}$ "
1137	$\frac{11}{16}$ " x $\frac{25}{32}$ "	$\frac{3}{8}$ " - $\frac{7}{16}$ "	$\frac{1}{2}$ " - $\frac{9}{16}$ "	$\frac{1}{2}$ " - $\frac{9}{16}$ "	11"	$\frac{7}{16}$ " - $\frac{7}{16}$ "
1139	$\frac{3}{4}$ " x $\frac{7}{8}$ "	$\frac{1}{2}$ "	$\frac{1}{2}$ " - $\frac{9}{16}$ "	$\frac{1}{2}$ " - $\frac{9}{16}$ "	11 $\frac{1}{2}$ "	$\frac{15}{32}$ " - $\frac{15}{32}$ "
1140	$\frac{13}{16}$ " x $\frac{7}{8}$ "	$\frac{1}{2}$ "	$\frac{9}{16}$ "	$\frac{1}{2}$ " - $\frac{9}{16}$ "	12 $\frac{1}{4}$ "	$\frac{15}{32}$ " - $\frac{15}{32}$ "
1141	$\frac{7}{8}$ " x $\frac{11}{16}$ "	$\frac{1}{2}$ " - $\frac{5}{8}$ "	$\frac{5}{8}$ " - $\frac{3}{4}$ "	$\frac{5}{8}$ "	14"	$\frac{1}{2}$ " - $\frac{15}{32}$ "
1145	$\frac{15}{16}$ " x 1"	$\frac{5}{8}$ "	$\frac{3}{4}$ "	$\frac{5}{8}$ "	14"	$\frac{1}{2}$ " - $\frac{1}{2}$ "
1147	$\frac{15}{16}$ " x $\frac{11}{16}$ "	$\frac{5}{8}$ "	$\frac{3}{4}$ "	$\frac{5}{8}$ "	15"	$\frac{1}{2}$ " - $\frac{1}{2}$ "
1150	$\frac{11}{16}$ " x $\frac{1}{8}$ "	$\frac{5}{8}$ "	$\frac{3}{4}$ "	$\frac{3}{4}$ "	16"	$\frac{17}{32}$ " - $\frac{17}{32}$ "
1151	$\frac{11}{16}$ " x $\frac{1}{4}$ "	$\frac{5}{8}$ " - $\frac{3}{4}$ "	$\frac{3}{4}$ " - $\frac{7}{8}$ "	$\frac{3}{4}$ "	17"	$\frac{9}{16}$ " - $\frac{9}{16}$ "
1155	$\frac{11}{16}$ " x $\frac{9}{16}$ "	$\frac{3}{4}$ "	$\frac{7}{8}$ "	$\frac{7}{8}$ "	17 $\frac{3}{4}$ "	$\frac{5}{8}$ " - $\frac{5}{8}$ "
1160	$\frac{11}{16}$ " x $\frac{13}{8}$ "	$\frac{3}{4}$ "	$\frac{7}{8}$ "	$\frac{7}{8}$ "	18 $\frac{1}{4}$ "	$\frac{5}{8}$ " - $\frac{5}{8}$ "
1161	$\frac{11}{16}$ " x $\frac{17}{16}$ "	$\frac{3}{4}$ " - $\frac{7}{8}$ "	$\frac{7}{8}$ " - 1"	$\frac{7}{8}$ " - 1"	19 $\frac{1}{2}$ "	$\frac{11}{16}$ " - $\frac{11}{16}$ "
1162	$\frac{17}{16}$ " x $\frac{1}{2}$ "	$\frac{7}{8}$ "	1"	1"	20 $\frac{7}{8}$ "	$\frac{3}{4}$ " - $\frac{3}{4}$ "
1163	$\frac{17}{16}$ " x $\frac{5}{8}$ "	$\frac{7}{8}$ " - 1"	1" - $\frac{11}{16}$ "	1"	22 $\frac{1}{2}$ "	$\frac{13}{16}$ " - $\frac{13}{16}$ "
1164	1 $\frac{5}{8}$ " x $\frac{11}{16}$ "	1"	$\frac{11}{16}$ "	$\frac{11}{16}$ "	24 $\frac{1}{2}$ "	$\frac{7}{8}$ " - $\frac{7}{8}$ "

THE PLUMB LINE IS THE SPEED LINE FOR SAVING TIME

POPULAR SETS OF 15° BOX WRENCHES

Cannot be shipped complete from factory but can be assembled by distributor.


You will find this handy set of 6 Plomb Box Wrenches the most useful set in your tool chest. Assorted openings cover a wide range of bolt and nut sizes. Contents follow: No. 1122, 3/8"x 7/16"; No. 1125, 7/16"x1/2"; No. 1126, 1/2"x9/16"; No. 1130, 9/16"x5/8"; No. 1135, 11/16"x3/4"; No. 1140, 13/16"x 7/8"; No. 2405, L'ette Kit. Wt., 1 3/4 lbs.



1100-E

This large master set leaves little to ask for in an all-around assortment of Plomb's famous line of Double End Box Wrenches. 10 Wrenches that will give you opening sizes to fit most any nut or bolt that comes along. Specifications follow: No. 1120, 5/16"x3/8"; No. 1122, 3/8"x7/16"; No. 1125, 7/16"x1/2"; No. 1126, 1/2"x9/16"; No. 1130, 9/16"x5/8"; No. 1131, 5/8"x3/4"; No. 1135, 11/16"x3/4"; No. 1140, 13/16"x7/8"; No. 1145, 15/16"x1"; No. 1150, 1-1/16"x 1-1/8"; No. 2413, Kit. Wt., 4 lbs.

1100-F



1100-H

You can't afford to be without this very popular set of Plomb Double End Box Wrenches. 7 wrenches without a duplication in the 14 assorted opening sizes. Contents are: No. 1120, 5/16"x3/8"; No. 1125, 7/16"x1/2"; No. 1130, 9/16"x5/8"; No. 1135, 11/16"x3/4"; No. 1140, 13/16"x 7/8"; No. 1145, 15/16"x1"; No. 1150, 1-1/16"x1-1/8"; No. 2406, Leatherette Kit. Wt., 3 1/2 lbs.



PLUMB *Streamlined Tools*

STREAMLINED OFFSET BOX WRENCHES



Midget
6-point openings. Ample offset to clear obstructions. A superb box wrench for all small nuts and bolts.



Stubby Type
12-point openings. Different openings each end. Short type lets you get into those tight places easily.




Standard Long Type
12-point openings, 60° angle offset on each end. Extra long. No duplication of opening sizes. Ample knuckle clearance.

SPECIFICATIONS

Midget Cat. No.	Stubby Cat. No.	Std. Long Type Cat. No.	6-Point Openings	12-Point Openings	Overall Length		
					Midget	Stubby	Std. Long Type
* 8112	8160	8180	3/16" X 1 3/64"	3/8" X 7/16"	2 13/16"	5"	7 3/4"
* 8117	8161	8181	7/32" X 1 5/64"	1/2" X 9/16"	3 3/32"	5 1/2"	9 3/4"
* 8122	8162	8182	1/4" X 9/32"	5/8" X 1 1/16"	3 3/8"	6"	10"
* 8127	8163		5/16" X 1 1/32"	3/4" X 1 3/16"	3 3/4"	6 1/2"	
*Temporarily discontinued				3/4" X 2 5/32"			11"
				13/16" X 7/8"			12 3/4"
				15/16" X 1"			14"

THE PLUMB LINE IS THE SURE LINE FOR COMPLETE SATISFACTION


PLUMB Streamlined Tools



Stubby Box Wrench Set No. 8100-A

One of the latest additions to the Plomb line was this type of Offset Box Wrench. Gets into those hard-to-reach places. This set will just about cover your every requirement. The contents are as follows:

Tool No.	12 Pt. Openings	Length
8160	$\frac{3}{8}$ " X $\frac{7}{16}$ "	5"
8161	$\frac{1}{2}$ " X $\frac{9}{16}$ "	5½"
8162	$\frac{5}{8}$ " X $\frac{11}{16}$ "	6"
8163	$\frac{3}{4}$ " X $\frac{13}{16}$ "	6½"
Canvas Bag Free. Wt., 1½ lbs.		




Sets on this page cannot be shipped complete from factory but can be assembled by Distributor.

Midget Box Wrench Set No. 8100-E *

A superb set of Midget Box Wrenches that will find daily use in your work. Especially handy on little bolts and nuts. This set of 4 wrenches gives you a wide range of opening sizes. Specifications below: ***Temporarily discontinued**

Tool No.	6 Pt. Openings
8112	$\frac{3}{16}$ " X $\frac{13}{64}$ "
8117	$\frac{7}{32}$ " X $\frac{15}{64}$ "
8122	$\frac{1}{4}$ " X $\frac{9}{32}$ "
8127	$\frac{5}{16}$ " X $\frac{11}{32}$ "
2411	L'ette Kit. Wt., 1 lb. 2 oz.



Light Duty Offset Box Wrench Set No. 8100-B

This set covers the most popular opening sizes from $\frac{3}{8}$ " to 1". One cannot afford to be without this set of wrenches. They will pay for themselves in no time by making your work quicker and easier. The set is listed below:

Tool No.	12 Pt. Openings
8180	$\frac{3}{8}$ " X $\frac{7}{16}$ "
8181	$\frac{1}{2}$ " X $\frac{9}{16}$ "
8182	$\frac{5}{8}$ " X $\frac{11}{16}$ "
8183	$\frac{3}{4}$ " X $\frac{25}{32}$ "
8184	$\frac{13}{16}$ " X $\frac{7}{8}$ "
8185	$\frac{15}{16}$ " X 1"
Canvas Bag Free. Wt., 3½ lbs.	

PLUMB


Streamlined Tools

Combination Box and Open-End Wrenches



Both openings same size, Box End offset 15°;
Open End 15° Angle.

The Combination Open End and Box Wrench was first introduced to the American trade by the Plomb Tool Company—a wrench that has proved to be the most popular innovation in wrench manufacturing in a long time. You will note that both openings are the same size. The Box Wrench has always been famous for its safety features,—the Open End for its speed. Here you have in the one wrench the combination of both. Use the Box end for breaking loose or cinching,—the Open end for running the nut on or off.



No.	Both Openings	Overall Length	Box Head Thickness	Open Head Thickness	U.S.S. Bolt Size	S.A.E. Bolt Size	Amer Std. Bolt Size	No.
1210	5/16"	3 1/2"	7/32"	3/8"	1/8"	5 & 6	1210
1212	3/8"	4 1/2"	1/4"	1/4"	3/16"	10	1212
1214	7/16"	5 1/2"	9/32"	1/4"	1/4"	12 & 1/4"	1214
1216	1/2"	6 1/4"	5/16"	1/4"	1/4"	5/16"	1216
1218	9/16"	7"	11/32"	1/4"	3/8"	1218
1220	5/8"	7 3/4"	3/8"	3/8"	7/16"	3/8"	1220
1222	1 1/16"	8 1/2"	13/32"	1/2"	3/8"	1/2"	7/16"	1222
1224	3/4"	9 1/4"	7/16"	11/32"	1/16"	1224
1226	13/16"	10 3/4"	15/32"	11/32"	1/2"	1226
1228	7/8"	11 1/4"	15/32"	11/32"	1/2"	9/16"	1/2"	1228
1230	15/16"	12 1/4"	1/2"	3/8"	5/8"	5/8"	1230
1232	1"	13 3/8"	1/2"	13/32"	11/16"	1232
1234	1 1/16"	14 1/2"	17/32"	13/32"	5/8"	3/4"	1234
1236	1 1/8"	15 3/4"	17/32"	7/16"	3/4"	1236
1240	1 1/4"	17 1/2"	5/8"	1/2"	3/4"	7/8"	1240
1242	1 5/16"	18"	5/8"	17/32"	7/8"	1242
1244	1 3/8"	18 1/2"	5/8"	9/16"	1244
1246	1 7/16"	19"	3/4"	9/16"	7/8"	1"	1246

THE PLUMB LINE IS THE GUARANTEED LINE OF QUALITY TOOLS

PLUMB *Streamlined Tools*


Combination Open-End and Box Wrench Sets

Cannot be shipped complete from factory but can be assembled by distributor.

Set No. 1200-A

Here are four of the most popular size openings—wrenches you will find use for every day. Specifications follow: Wt. 1 lb.


Tool No.	Opening Size
1214.....	7/16"
1216.....	1/2"
1218.....	9/16"
1220.....	5/8"
2408.....	Leatherette Kit



Set No. 1200-G

Just twice as many sizes as listed in the above set. Eight wrenches in all—an all around assortment of the most useful openings. Contents are as follows: Wt. 2 lbs.

Tool No.	Opening Size
1210.....	5/16"
1212.....	3/8"
1214.....	7/16"
1216.....	1/2"
1218.....	9/16"
1220.....	5/8"
1222.....	1 1/16"
1224.....	3/4"
2406.....	Leatherette Kit




Set No. 1200-F

Here is your Master Combination Box and Open-End Wrench Set—15 opening sizes as listed below: Wt. 8 3/4 lbs.

Tool No.	Opening Size
1210.....	5/16"
1212.....	3/8"
1214.....	7/16"
1216.....	1/2"
1218.....	9/16"
1220.....	5/8"
1222.....	1 1/16"
1224.....	3/4"
1226.....	13/16"
1228.....	7/8"
1230.....	1 5/16"
1232.....	1"
1234.....	1 1/16"
1236.....	1 1/8"
1240.....	1 1/4"
2413.....	Leatherette Kit



PLUMB *Streamlined Tools* **FLARE NUT WRENCHES**




Designed to meet the rigid requirements of the U.S. Army Air Forces and the U.S. Navy.

The primary use of the flare nut wrenches is in the assembly and maintenance of all types of lines, including fluid, air, gas, etc. It has a wide variety of applications in aviation, automotive, air conditioning fields, and refrigeration, as well as on such equipment as compressors and various pressure instruments. As illustrated,

the head is flat and based on a modified 12 point design, with an opening which allows access to the fitting around tubing. The possibility of damage to the fitting is remote, because the wrench has better contact with the nut and cannot slip and chew it.

PART NO.	A	B	C	D	E
	SIZE OPENING	CLEARANCE	OUTSIDE DIA.	OVERALL LENGTH	HEAD THICKNESS
3716	1/2"	3/8"	31/32"	6-7/8"	7/16"
3718	9/16"	7/16"	31/32"	6-7/8"	7/16"
3720	5/8"	15/32"	1-1/8"	7-1/8"	1/2"
3724	3/4"	9/16"	1-9/32"	7-7/16"	9/16"
3728	7/8"	11/16"	1-15/32"	7-3/4"	5/8"
3730	15/16"	23/32"	1-15/32"	7-3/4"	5/8"
3732	1"	3/4"	1-19/32"	8-1/8"	3/4"
3734	1-1/16"	25/32"	1-19/32"	8-1/8"	3/4"
3736	1-1/8"	27/32"	1-25/32"	8-7/16"	7/8"



MIDGET WRENCHES



ELECTRICAL

15°—80° Both Openings Same Size

You will note the angle openings are 15-80°. Just what you want when working on timers, generators, radios, etc., for delicate adjustments.

CAT. NO.	OPENINGS	HEAD THICKNESS	LENGTH
* 3314	7/32"x7/32"	3/32"	3-1/4"
* 3315	15/64"x15/64"	3/32"	3-1/4"
* 3316	1/4"x1/4"	3/32"	3-1/4"
* 3318	9/32"x9/32"	5/32"	3-1/2"
* 3320	5/16"x5/16"	5/32"	3-1/2"
* 3322	11/32"x11/32"	5/32"	4"
* 3324	3/8"x3/8"	5/32"	4"
* 3328	7/16"x7/16"	5/32"	4-1/2"
* 3332	1/2"x1/2"	5/32"	4-1/2"



OBSTRUCTION

Paired openings, different size each end but with alternate angles on next wrench so all eight openings are provided in both 15° and 60° angles.

CAT. NO.	15° OPENING	60° OPENING	HEAD THICKNESS	OVERALL LENGTH
3210	13/64"	15/64"	3/32"	3"
3211	15/64"	13/64"	3/32"	3"
3215	7/32"	1/4"	3/32"	3"
3216	1/4"	7/32"	3/32"	3"
3220	9/32"	5/16"	5/32"	3-1/2"
3221	5/16"	9/32"	5/32"	3-1/2"
3225	11/32"	3/8"	9/64"	3-3/4"
3226	3/8"	11/32"	9/64"	3-3/4"


THE PLUMB LINE IS THE ENGINEERED LINE FOR GREATEST EFFICIENCY

▽ PLUMB ▽ MIDGET WRENCH SETS

Open-End Set No. 3200-A

Here is a gem of a midget set of open-end wrenches in our 3200 Series, being 15° openings on one end and 60° on the other. 4 popular wrenches in all, as follows:


Tool No.	15° Opening	60° Opening
3210	1 3/64"	1 5/64"
3215	7/32"	1 1/4"
3220	9/32"	5/16"
3225	11/32"	3/8"
2411	Leatherette Kit	



Open-End Set No. 3200-D

This is the complete set even to including a pair of Plomb Midget Pliers. The Wrenches give you every opening size that we make in this type of wrench. Listed below are the contents.

Tool No.	15° Opening	60° Opening
3210	1 3/64"	1 5/64"
3211	1 5/64"	1 3/64"
3215	7/32"	1 1/4"
3216	1/4"	7/32"
3220	9/32"	5/16"
3221	5/16"	9/32"
3225	11/32"	3/8"
3226	3/8"	1 1/32"
235	Midget Plomb Plier	
2410	Leatherette Kit	




Open-End Set No. 3300-A *

This set is our electrical type with one opening 15°, the other 75°, a well balanced set for all small work. The set consists of:

Tool No.	15° Opening	75° Opening
3314	7/32"	7/32"
3315	1 5/64"	1 5/64"
3316	1/4"	1 1/4"
3318	9/32"	9/32"
3320	5/16"	5/16"
3322	11/32"	11/32"
3324	3/8"	3/8"
3328	7/16"	7/16"
3332	1/2"	1/2"
2410	Leatherette Kit	

Cannot be shipped complete from factory but

can be assembled by distributor.



* Temporarily discontinued

THE PLUMB LINE IS THE FULL LINE OF QUALITY TOOLS

PLUMB *Streamlined Tools*


15° OPEN END WRENCHES




"The Pride Line"

COMPARISON SHOWS PLUMB ADVANTAGES

Shown at the right is an ordinary open-end wrench (A) and an open-end wrench built the Plumb way (B). Compare the two. The special engineering and finest alloy steel used in the Plumb wrench result in one that's stronger, and easier and faster to work with. (1) Less overhang in opening. (2) More accurate fit. (3) Smaller, more compact head. (4) Slender shank with rounded edges as compared to thick sharp edged shank.



A



B

Cat. No.	Milled Openings	U. S. S. Bolt Size	S. A. E. Bolt Size	Amer. Std. Bolt Size	Overall Length	Head Thickness	Cat. No.
3018	1/4" - 5/16"	1/8"	1/4"	4-5&6	3 1/2"	5/32"	3018
3020	5/16" - 3/8"	1/8" - 3/16"	1/4"	5&6-10	4"	3/16"	3020
3021	3/8" - 7/16"	3/16"	1/4" - 5/16"	10-12&1 1/4"	4 1/2"	7/32"	3021
3025	7/16" - 1/2"	1/4"	1/4" - 3/8"	12&1 1/4"	5"	7/32"	3025
3026	1/2" - 9/16"	1/4" - 5/16"	3/8"	12&1 1/4"	5 1/2"	1/4"	3026
3027	1/2" - 19/32"	1/4"	3/8"	12&1 1/4"	6 1/4"	5/32"	3027
3030	9/16" - 5/8"	5/16"	7/16"	12&1 1/4"	6 3/4"	9/32"	3030
3031	5/8" - 3/4"	3/8"	7/16"	12&1 1/4"	8"	5/16"	3031
3032	19/32" - 25/32"	3/8"	7/16"	12&1 1/4"	8"	5/16"	3032
3034	5/8" - 11/16"	3/8"	7/16"	12&1 1/4"	8"	5/16"	3034
3035	11/16" - 3/4"	3/8"	7/16"	12&1 1/4"	8"	5/16"	3035
3036	11/16" - 7/8"	3/8" - 1/2"	7/16"	12&1 1/4"	8 1/8"	11/32"	3036
3037	15/16" - 25/32"	3/8" - 7/16"	7/16"	12&1 1/4"	8"	5/16"	3037
3039	3/4" - 7/8"	1/2"	1/2"	12&1 1/4"	9 1/8"	11/32"	3039
3040	13/16" - 7/8"	1/2"	1/2"	12&1 1/4"	9 1/8"	11/32"	3040
3041	7/8" - 1 1/16"	1/2"	1/2"	12&1 1/4"	10 1/8"	3/8"	3041
3045	15/16" - 1"	5/8"	5/8"	12&1 1/4"	11 3/4"	13/32"	3045
3047	15/16" - 1 1/16"	5/8"	5/8"	12&1 1/4"	11 3/4"	13/32"	3047
3050	1 1/16" - 1 1/8"	5/8"	5/8"	12&1 1/4"	12 5/8"	1 1/2"	3050
3051	1 1/16" - 1 1/4"	5/8" - 3/4"	5/8" - 7/8"	12&1 1/4"	12 5/8"	1 1/2"	3051
3055	1 1/4" - 1 5/16"	3/4"	7/8"	12&1 1/4"	15 1/2"	9/16"	3055
3060	1 3/8" - 1 7/16"	7/8"	1"	12&1 1/4"	15 1/2"	9/16"	3060
3061	1 1/4" - 1 7/16"	3/4" - 7/8"	7/8" - 1"	12&1 1/4"	15 1/2"	9/16"	3061
3062	1 3/8" x 1 1/2"	7/8" - 1"	1" - 1 1/8"	12&1 1/4"	17"	5/8"	3062
3065	1 7/16" x 1 5/8"	1"	1 1/8"	12&1 1/4"	17"	5/8"	3065
3070	1 1/2" x 1 5/8"	1"	1 1/8"	12&1 1/4"	17"	5/8"	3070

THE PLUMB LINE IS THE ENGINEERED LINE FOR GREATEST EFFICIENCY

PLUMB

Streamlined Tools

Cannot be shipped complete from factory but
can be assembled by distributor.

Open-End Wrench Set No. 3000-B

Six wrenches and every one a popular item—the best assortment of opening sizes for everyday use. Sizes and contents of this set are listed below:

Tool No.	Opening Sizes	Length
3020	5/16" X 3/8"	4"
3025	7/16" X 1/2"	5"
3030	9/16" X 5/8"	6 1/4"
3035	1 1/16" X 3/4"	8"
3040	1 3/16" X 7/8"	9 1/8"
3045	1 5/16" X 1"	10 5/16"
2405	Leatherette Kit.	Wt., 2 1/2 lbs.



Open-End Wrench Set No. 3000-H


10 Open-End Wrenches—selected sizes.

Tool No.	Opening Sizes	Length
3018	1/4" X 5/16"	3 1/2"
3020	5/16" X 3/8"	4"
3025	7/16" X 1/2"	5"
3026	1/2" X 9/16"	5 1/2"
3030	9/16" X 5/8"	6 3/4"
3031	5/8" X 3/4"	8"
3035	1 1/16" X 3/4"	8"
3040	1 3/16" X 7/8"	9 1/8"
3045	1 5/16" X 1"	10 5/16"
3050	1 1/6" X 1 1/8"	11 3/4"
2406	Leatherette Kit.	Wt., 4 lbs.

Open-End Wrench Set No. 3000-M

Here's a set selected to give you 10 Open-End Wrenches in a kit and with only one duplication of opening sizes.

Tool No.	Opening Sizes	Length
3018	1/4" X 5/16"	3 1/2"
3021	3/8" X 7/16"	4 1/2"
3026	1/2" X 9/16"	5 1/2"
3031	5/8" X 3/4"	8"
3035	1 1/16" X 3/4"	8"
3040	1 3/16" X 7/8"	9 1/8"
3045	1 5/16" X 1"	10 5/16"
3050	1 1/6" X 1 1/8"	11 3/4"
3055	1 1/4" X 1 5/16"	15 1/2"
3060	1 3/8" X 1 7/16"	15 1/2"
2413	L'ette Kit.	Wt., 8 lbs.



THE PLUMB LINE IS THE MAJOR LINE OF FINE FORGED TOOLS

PLUMB

Streamlined Tools



No. 4515



No. 4532

PLUMB STUD PULLERS

← New Detachable Wedge Type

Latest development in stud pullers. No. 4515 for $\frac{1}{4}$ " to $\frac{5}{8}$ " studs; No. 4532 for studs from $\frac{5}{8}$ " to 1" turns in a smaller circle and will work much closer to obstructions.

Set-screw in side of stud puller prevents loss by keeping wedges in body when not in use.

No. 4515 is 1-3/16" in diameter, 3 1/2" long and has 1/2" square service connection.

No. 4532 is 2 1/8" in diameter, 5 1/2" long, and has 3/4" square service connection.

Both sizes will take the longest studs.

Standard 1/2" Square Drive

No.	Description	Wt. lbs.
4515	Stud Puller Complete with 4516 and 4517 Wedges; Capacity, $\frac{1}{4}$ " to $\frac{5}{8}$ " Studs.....	1 1/4
4516	Thick Wedge, Capacity $\frac{1}{4}$ " to $\frac{1}{8}$ ".....	
4517	Thin Wedge, Capacity $\frac{1}{2}$ " to $\frac{5}{8}$ ".....	


Heavy Duty 3/4" Square Drive

4532	Heavy Duty Stud Puller, with 4533 and 4534 Wedges; Capacity $\frac{5}{8}$ " to 1" Studs.....	4 1/2
4533	Thick Wedge, Capacity $\frac{5}{8}$ " to $\frac{3}{4}$ ".....	
4534	Thin Wedge, Capacity $\frac{3}{4}$ " to 1".....	

Eccentric Type Stud Pullers

1/2" Square Drive

* One of the best of this type. Knurled nut turns on stud when turned. 1/2" square drive in end, or open-end wrench can be used on body.



No.	Fits Studs	Use Wrench	With Roller	Wt. lbs
4508	$\frac{3}{8}$ " to $\frac{1}{2}$ "	1"	No. 4511	3/4



ADJUSTABLE WRENCHES

Thin, light and strong, 22 1/2° angle openings. Deep-throated openings equally efficient on square or hexagon nuts and bolts.

The kind of tools you use typifies the kind of work you do. Better tools build greater customer confidence.

Cat. No.	Length	Jaws Open Up to
704	4"	5/8"
706	6"	3/4"
708	8"	1 1/16"
710	10"	1 1/8"
712	12"	1 7/16"

THE PLUMB LINE IS THE SAFE LINE FOR ALL MECHANICS

For turning nuts where obstructions prevent easy access with straight wrenches. 1" clearance at middle. 12-point openings.

Plomb Tappet Wrenches

Note arrangement of openings—just right for easy working, yet six wrenches are equal to much larger sets of other makes.

Screw Extractors




*Non Replaceable.

* ~~No. 9500A—Nos. 9521 to 9525, inclusive, 5 extractors in wooden slide cover box. Weight 1/2 lb.~~

***Temporarily discontinued**



9526	$\frac{1}{2}''$	$\frac{1}{2}''$	$4\frac{1}{2}''$	$\frac{3}{4}''$	$9\frac{1}{16}''$	$11\frac{1}{16}''$	$\frac{1}{2}''$
9527	$1\frac{1}{32}''$	$\frac{5}{8}''$	5"	$\frac{7}{8}''$	$\frac{5}{8}''$	$11\frac{1}{16}''$	$\frac{1}{2}''$
9528	$2\frac{3}{32}''$	$\frac{3}{4}''$	$5\frac{1}{2}''$	$\left\{ \begin{array}{l} 1'' \\ 1\frac{1}{8}'' \\ 1\frac{1}{4}'' \end{array} \right.$	$\frac{3}{4}''$	$\frac{7}{8}''$	$\frac{3}{4}''$
9529	$3\frac{1}{32}''$	1"	$5\frac{1}{2}''$	$\left\{ \begin{array}{l} 1\frac{3}{8}'' \\ 1\frac{1}{2}'' \end{array} \right.$	1"	$\frac{3}{4}''$	1"



▽ PLOMB ▽ Streamlined Tools

A NEW TYPE RING COMPRESSOR

New in design. Easy—fast to operate. Work on proven geometric action cannot cause "out of roundness." No. 2317 fits passenger cars. Extra bands available for busses and trucks, also diesels.



Showing the Plomb
Piston Ring Compressor
in action
Extra Bands are available
in 3 sizes interchangeable
with No. 2317 Home.



2308

REDUCE OR BEVEL
LANDS WITH YOUR
No. 2308


BY ORDERING
PART No. 2308-C
YOU CAN THEN
CHAMFER
OR
REDUCE
LANDS



- * ~~No. 2317 for Passenger Cars, Capacity 2 1/2 to 3 7/8 in.~~
- * ~~No. 2317B Extra Band for No. 2317.~~
- * ~~No. 2318 for Regular Trucks, Capacity 3 7/8 to 5 in.~~
- * ~~No. 2318B Extra Band for No. 2318.~~
- * ~~No. 2319 for Large Trucks and Diesels, Capacity 5 to 6 in.~~
- * ~~No. 2319B Extra Band for No. 2319.~~

Self-Adjusting Ring Groove Tool No. 2308 *

No. 2308 Plomb Self-adjusting Ring Groove Tool. Cutters of milled and tempered tool steel will clean the carbon easier and quicker than any other tool on the market. Takes pistons from 2 1/2" to 4 1/2". No. 2308B Extra Cutter only.



2311

* **Adjustable Ring Groove Cleaners**
~~No. 2311 Cleans 3/32", 1/8", 5/32"~~
and 3/16" grooves with single tool. 4-way cutter is finest alloy steel. Can be resharpened with file. Complete with cutter. ~~No. 2312 Extra Cutter.~~



2335

Valve Guide Cleaners



2337

Flexible Carbon Scrapers



2336

Gasket Scrapers

No. 2335—An inexpensive new valve guide cleaner that is adjustable, by simply turning nut, to all sizes of valve guides. Length, 9 3/4".

No. 2337—The 10 flexible blades of round spring steel. Sliding band regulates flexibility of edge. 1" wide, 9" overall length.

No. 2336—Has many uses, such as scraping carbon, cutting wood, removing shellacked gaskets. Blade 1 1/2" wide; overall length, 11 1/8".

*Temporarily discontinued

THE PLOMB LINE IS THE MODERN LINE OF FINE HAND TOOLS

ENGINE TOOLS



6523




6539



VALVE ADJUSTER

6734

Use No. 6734 for speed, care and accuracy when adjusting overhead valves. Use any standard socket. Loosen lock nut first, then operate driver for adjustment, setting valve clearance with Plomb Feeler Gauges.



no.

DESCRIPTION

NO.	DESCRIPTION
6523	V8 CON. ROD NUT SOCKET —This 9/16" hexagon thin-nose socket is absolutely essential when working on V8 con. rods. 1/2" square drive. Non-Replaceable.
6539	V8-85 VALVE LIFTER —Powerful, simple, with long leverage to break loose the toughest guides. Push guide down to remove keeper, then pry, with opposite block as fulcrum, to force guide out. 30" long, 3/4" stock. Non-Replaceable.
6528	CARBURETOR JET WRENCH —For nearly all types of Stromberg carburetors. Turns easily with cross pin and knurled shank.
5421	STANDARD SOCKET 1/2" SQUARE DRIVE —Opening Size, 21/32; Overall Length, 1 3/8; Inside Clearance, 3/4.
5444	DAG LINK SCREWDRIVER —Many uses especially on any large slotted screws and used with most 1/2" drive attachments. Non-Replaceable. Bit 3/4" Wide, Length 1 9/16".
1730	OBSTRUCTION BOX WRENCH —For turning nuts where obstructions prevent easy access with straight wrenches. 1" clearance at middle. 12-point openings. 9/16" x 5/8". Overall Length, 6 1/2". Weight, 4 oz.
5438 5538	HEAVY DUTY 3/4" SQUARE DRIVE SOCKETS 5438—1 3/16", 12-point. 5538—1 3/16", 12-point. Overall Length, 2 5/16". Inside Clearance, 1 9/16".



5421



5444



1730




5438-5538

THE PLUMB LINE IS THE MAJOR LINE OF FINE FORGED TOOLS

PLUMB *Streamlined Tools*

Feeler Gauges - Accurately Ground, Correctly Heat Treated

Standard Thickness Gauges



No. 000A—Set of the following 9 gauges, one each: Nos. 003, 004, 005, 006, 008, 010, 012, 015 and 018, in No. 000C Holder.
 No. 000C—Holder only, without blades.

No.	Blade Thickness	Width Blade	Length Blade
0015	.0015"	1/2"	3 1/4"
003	.003"	1/2"	3 1/4"
004	.004"	1/2"	3 1/4"
005	.005"	1/2"	3 1/4"
006	.006"	1/2"	3 1/4"
007	.007"	1/2"	3 1/4"
008	.008"	1/2"	3 1/4"
009	.009"	1/2"	3 1/4"
010	.010"	1/2"	3 1/4"
011	.011"	1/2"	3 1/4"
012	.012"	1/2"	3 1/4"
013	.013"	1/2"	3 1/4"
014	.014"	1/2"	3 1/4"
015	.015"	1/2"	3 1/4"
016	.016"	1/2"	3 1/4"
018	.018"	1/2"	3 1/4"
020	.020"	1/2"	3 1/4"
022	.022"	1/2"	3 1/4"
025	.025"	1/2"	3 1/4"
030	.030"	1/2"	3 1/4"
032	.032"	1/2"	3 1/4"
035	.035"	1/2"	3 1/4"
040	.040"	1/2"	3 1/4"

Step-Cut Feeler Gauges




Each Blade has two different thicknesses, carefully ground and exactly true. A quality far superior to those usually offered to the trade; heat-treated to remain true after long use.

No.	Thicknesses	Width Blade	Length Blade
004/6	.004"—.006"	1/2"	3 1/4"
005/7	.005"—.007"	1/2"	3 1/4"
006/8	.006"—.008"	1/2"	3 1/4"
007/9	.007"—.009"	1/2"	3 1/4"
008/10	.008"—.010"	1/2"	3 1/4"
009/11	.009"—.011"	1/2"	3 1/4"
010/12	.010"—.012"	1/2"	3 1/4"
011/13	.011"—.013"	1/2"	3 1/4"

No. 000B—Set of 4 Step-Cut Gauges: Nos. 004/6, 006/8, 008/10, 010/12, with No. 000C Holder.
 No. 000C—Holder only.

No. 000E— Brake Gauge Set



(Blades not sold separately)

No.	Blade Thickness	Width Blade	Length Strip
0015L	.0015"	1/2"	12"
002L	.002"	1/2"	12"
003L	.003"	1/2"	12"
004L	.004"	1/2"	12"
005L	.005"	1/2"	12"
006L	.006"	1/2"	12"
008L	.008"	1/2"	12"
010L	.010"	1/2"	12"
012L	.012"	1/2"	12"
013L	.013"	1/2"	12"
015L	.015"	1/2"	12"
018L	.018"	1/2"	12"

Packed 6 Strips of a Size in Envelope.


No. 000D—Ignition Gauge Set



This set consists of 10 blades, 3/16" wide by 1 1/2" long, in Holder. Thicknesses as follows: .011", .012", .014", .018", .020", .022", .025", .028", .032", and .035". Complete in Holder. (Blades not sold separately)

THE PLUMB LINE IS THE SURE LINE FOR COMPLETE SATISFACTION

No. 6522—Connecting Rod Socket



No. 4080—Blind Bearing Puller



For pulling Chevrolet, Ford and Packard pilot bearings, but has many other uses. A simple, efficient puller with only two parts. Has an exceptional range of expansion. Can be used alone or with a Plomb Slide Hammer Puller No. 4056.

No. 4050—Pinion Puller



Designed for pulling GM pinions, but can be used for many other pulling jobs. Three sizes of fulcrum plugs are provided, thus eliminating any leverage problems. A solid tool, easy and safe to use.

2116



No. 8—Ripping or Wrecking Bars

No.	Stock	Length	Wt. lbs.
* 8	5/8"	18"	13/4
* 8	5/8"	21"	2
* 8	3/4"	24"	3 1/2
* 8	3/4"	30"	4 1/4
* 8	7/8"	30"	5 1/4

***Temporarily discontinued**

No. 2110—Grease Bar

Wrench like opening offset to clear obstructions and with coarse teeth to prevent slipping. 28" long. Weight 3¾ lbs.

PLOMB *Streamlined Tools*

PLOMB PLIERS



206

NO. 206—6" DIAGONAL CUTTING PLIER
 Handhoned cutting edges, perfectly matched. Designed with thin, narrow jaws that will work easily in congested places. Plomb "Name-Nurl" handles assure firm grip.



207

NO. 207—7" DIAGONAL CUTTING PLIER
 A well-balanced, ruggedly constructed cutter for heavy service. Cutting edges hand-honed to perfect match. Form-fitting "Name-Nurl" handles provide slip-proof grip.



209

NO. 209 HEAVY DUTY DIAGONAL PLIER
 A real giant for easy cutting. You will like the short powerful jaws and ample cutting leverage. A real plier for heavy work. 9" long.



215

NO. 215—BRAKE SPRING PLIER
 Curved jaw clears edge of brake shoe to bring it in close adjustment with center line of spring. Hook jaw is thin to easily enter under spring. Parts for 215, bolt and nut No. 215B, curved jaw No. 215C, hook jaw No. 215H.



218

NO. 218—ANGLENOSE BATTERY PLIER
 Thin jaws at correct working angle for battery terminal nuts. Plomb "Name-Nurl" handles for positive grip.



256

NO. 256—6" SLIP JOINT PLIER
 A well made pocket plier of conventional design bearing the Plomb name of quality but at a price so low it has no equal or rival on the market.



226

NO. 226—6" NEEDLE NOSE SIDE CUTTING PLIER
 The needle nose with side cutter makes an ideal combination for electrical work. The cutting edges are hand-honed, the grips are the famous Plomb "Name-Nurl."

THE PLOMB LINE IS THE SAFE LINE FOR ALL MECHANICS

NO. 227—7½" DUCK BILL PLIER

A very useful plier built for long powerful leverage with Plomb "Name-Nurl" handle grips. A general plier for radio, carburetor, electrical type-writer and adding machine work.



No. 227

*** NO. 228—7½" CHAIN NOSE PLIER**

A variation of the No. 227 type, length and handles the same, but with narrow nose.



No. 228

NO. 235—SLIP JOINT IGNITION PLIER

Light and convenient to use. Three position slip joint allows parallel openings up to 3/8". Length 4½". Bolt and nut only, No. 235B.



No. 235

*** NO. 236—6", No. 238—8" WRENCH PLIERS**

General utility pliers of popular usage. Jaws open up 7/8 and 1 1/8 inches on the 6 and 8 inch respectively. 236B extra bolt and nut, 238B extra bolt and nut.

***Temporarily discontinued**



***No. 236 and No. 238**

NO. 240—WATER PUMP PLIER

8 position joint allows parallel openings up to 1 5/8 inches. Handles are form-fitting with Plomb "Name-Nurl" grips. Length 9 1/2 inches. No. 240B, bolt and nut only for No. 240 pliers.



No. 240

*** NO. 245—5" SLIP JOINT SIDE CUTTING PLIER**

The slender, tapering jaws with two position adjustment make these pliers convenient and efficient. Plomb "Name-Nurl" grips.



No. 245

NO. 247—7" SLIP JOINT SIDE CUTTING PLIER

Has slender jaws with two position adjustment. Jaws are deeply cross-broached for positive gripping. Handles with well-known Plomb "Name-Nurl" grip.



No. 247

Three screwdrivers are shown vertically against a red background. Screwdriver A (top) has a T-shaped handle with a central slot and a hexagonal base. Screwdriver B (middle) has a long, thin handle with a hexagonal base. Screwdriver C (bottom) has a T-shaped handle with a central slot and a hexagonal base. All three have the text "PLUMB & U.S.A." on the shaft.

C A companion to the Round Blade at a price that will astound you. It has the 4 fluted Handle which is a non-conductor of electricity. The full heat-treated blade will give you perfect satisfaction under the hardest of use.

No.	Length Blade	Overall Length	Diam. Shank	Width Bit
†9604	4"	8"	1/4"	1/4"
†9606	6"	10 1/2"	5/16"	5/16"
†9608	8"	13	3/8"	13/32"
9622	2 1/2"	5 1/4"	1/8"	1/8"
9624	4 1/2"	7 1/4"	1/8"	1/8"
9632	4"	7 1/2"	3/16"	3/16"
9633	7 1/2"	11	3/16"	3/16"
9638	13 1/2"	17"	3/16"	3/16"
9642	9"	13"	1/4"	1/4"
9643	10"	14 1/2"	5/16"	5/16"
*9651	1"	27/8"	3/16" Sq.	1/4"
*9652	1 1/2"	37/8"	1/4" Sq.	9/32"

* Illustrated on following page. † Has Hex. Ferrule

THE PLOMB LINE IS THE FULL LINE OF QUALITY TOOLS

PLOMB *Streamlined Tools*

B WOOD HANDLE - - - SCREW DRIVER

No.	Overall Length	Blade Length	Shank Size	Bit Width
General Purpose Type—Blade Through Handle				
9701	4 1/4"	1 1/2"	3/16"	3/16"
9702	6 5/8"	2 1/2"	3/8"	7/32"
9704	9"	4"	1/4"	9/32"
9706	12 1/8"	6"	5/16"	11/32"
9708	14 3/8"	8"	3/8"	7/16"
9710	16 3/4"	10"	3/8"	7/16"
9712	18 3/4"	12"	3/8"	7/16"
9714	22 3/4"	14"	7/16"	9/16"

No.	Overall Length	Blade Length	Shank Size	Bit Width
Electrical Type—No Metal Cap				
9722	5 1/4"	2 1/2"	1/8"	1/8"
9724	7 1/4"	4 1/2"	1/8"	1/8"
9732	8 7/16"	4"	3/16"	3/16"
9733	12 3/8"	7 1/2"	3/16"	3/16"
Cabinet Type—Long Slim Blade Through Handle				
9741	13 3/8"	9"	3/16"	7/32"
9742	14 1/2"	9 1/2"	1/4"	9/32"
9743	16 3/8"	10"	5/16"	11/32"

C PLASTIC HANDLE - - - SQUARE BLADE

Cat. No.	Length Blade	Overall Length	Shank Size	Bit Width
9804	4"	8"	1/4" sq.	9/32"
9806	6"	10 1/2"	5/16" "	11/32"
9808	8"	13"	3/8" "	7/16"
9822	2 1/2"	5 1/4"	1/8" "	1/8"
9832	4"	7 1/2"	3/16" "	3/16"
9833	7 1/2"	11"	3/16" "	3/16"
9842	9"	13"	1/4" "	9/32"
9843	10"	14 1/2"	5/16" "	11/32"

Screwdriver sets, see following pages

Short Screw Drivers

No. 9651

Blade 1" long, 1/4" bit; 2 7/8" overall length. Moulded plastic handle.

No. 9652


1 1/2" blade, 9/32" bit, 3 7/8" overall length. Moulded plastic handle.

No. 100—Key Ring Screw Driver

Hand-forged, individually heat-treated. 2 1/4" long.

No. 9752 Wood Handle

Blade 1 3/4" long, with handle 4 1/4" long, 1-3/16" octagon. 5/16" square shank, with 11/32" bit.



THE PLOMB LINE IS THE SPEED LINE FOR SAVING TIME

PLUMB

Streamlined Tools

4 Screw Drivers Handle All Phillips Screws

The four sizes of Plumb Phillips screw drivers listed below drive the entire range of drivers and bolt sizes. With slotted screws, at least seven or eight drivers are required. Come either with Moulded Plastic or Wood Handles.

Cat. No.	Phillips No.	Diam. Stock	Blade Length	Overall Length	Cat. No.
9682	1-A	$\frac{3}{16}$ "	3"	6 $\frac{1}{2}$ "	9782
9684	2-A	$\frac{1}{4}$ "	4"	8"	9784
9686	3-A	$\frac{5}{16}$ "	6"	10 $\frac{1}{2}$ "	9786
9688	4-A	$\frac{3}{8}$ "	8"	13"	9788

Plastic Handle

Wood Handle

Offset Screw Drivers

For drag link adjustments, brake work, and work in close places. Bits at right angles to each other.

No. 351 $\frac{1}{4}$	1 $\frac{1}{4}$ " Oct. Stock	3" long
No. 361 $\frac{1}{4}$	1 $\frac{1}{4}$ " Oct. Stock	4 $\frac{3}{4}$ " long
No. 365 $\frac{1}{16}$	$\frac{5}{16}$ " Oct. Stock	5" long
No. 363 $\frac{3}{8}$	$\frac{3}{8}$ " Oct. Stock	6 $\frac{1}{8}$ " long
No. 361 $\frac{1}{2}$	$\frac{1}{2}$ " Oct. Stock	7 $\frac{1}{2}$ " long

Detachable Phillips Bits with 3-8" Drive

- *5241—For No. 2 Phillips screws
- *5242—For No. 3 " "
- *5243—For No. 4 " "

*Not Replaceable

*Temporarily discontinued

Stub Phillips Screw Drivers

No. 9671—Moulded—Plastic Handle, overall length 2 $\frac{1}{16}$ ", with No. 2 Phillips Point.

Set No. 9780-A



4 sizes of Phillips Screwdrivers with wood handles. Wt. 1 $\frac{1}{2}$ lbs.

9782 9786 2405
9784 9788 Kit

Set No. 9700-A

Set of 7 popular screwdrivers including stubby, long thin blade and heavy duty types—wood handles and metal caps. Wt. 3 $\frac{1}{2}$ lbs.

9701 9704 9708 9741
9702 9706 9710 2406 (Kit)



Sets cannot be shipped complete from factory but can be assembled by distributor.

THE PLUMB LINE IS THE ENGINEERED LINE FOR GREATEST EFFICIENCY

PLUMB *Streamlined Tools*

PLASTIC HANDLE SCREWDRIVER SETS

Not shipped complete from factory but can be assembled by distributor.

A screwdriver is used practically every day. Well selected sets like those illustrated here, require only a small investment and will save you time and money.



← Set No. 9600-E →

You never have to borrow a screwdriver when you become the owner of this master assortment, each with the new Plastic Handles. Wt., 2 lbs. Contents follow:

9604	9622	9633	9643	2406 Kit
9606	9632	9642	9652	

With new plastic handles, here is the Phillips type set of screwdrivers for you. 4 assorted sizes in a handy leatherette kit. Note contents below. Wt. 1 1/4 lbs.

9682	9686	2405 Kit
9684	9688	



Set No. 9680-A →



← Set No. 9800-D →

You may be looking for a small set of all purpose screwdrivers and these four very popular ones will answer most of your requirements. All with the new plastic handles and in a leatherette kit. Wt. 14 oz.

9804	9832	2405 Kit
9822	9842	

Punches, Chisels and Offset Screw

Drivers

Tool Number	DESCRIPTION	Stock In Inches	Length In Inches	Cut	Point or Bit
* 15-1/2	Aligning Punches	1/2 Ro.	11		1/8"
15-5/8	"	5/8 Oct.	16		3/16"
* 30-7/16	Rivet Cutters	7/16 "	15	1 1/2"	
* 30-3/4	"	5/8 "	8	3/4"	
30-3/4	"	3/4 "	12	7/8"	
* 30-3/4	"	7/8 "	12	1"	
35-1/4	Offset Sc. Drivers	1/4 "	3		1 1/4"
36-1/4	"	1/4 "	4 3/4		1 1/4"
36-9/16	"	5/16 "	5		5/16"
36-3/8	"	3/8 "	6 1/2		3/8"
* 36-1/2	"	1/2 "	7		1 1/8"
41-1/4	Center Punches	1/4 "	4 1/4		
41-5/16	"	5/16 "	4 3/8		
41-3/8	"	3/8 "	4 7/8		
41-7/16	"	7/16 "	5 1/4		
41-1/2	"	1/2 "	5 5/8		
41-5/8	"	5/8 "	6		
44-1/4	Prick Punches	1/4 "	4 3/4		
44-5/16	"	5/16 "	5		
44-3/8	"	3/8 "	5 1/4		
47-1/4x1/16	Riv't or Pin Pnch.	1/4 "	4 3/8		3/64"
47-1/4x3/32	"	1/4 "	4 3/4		3/32"
47-5/16x1/8	Riv't or Pin Pnch.	5/16 "	5 1/4		1/8"
47-5/16x5/32	"	5/16 "	5 5/8		5/32"
47-3/8	"	3/8 "	6 1/8		3/16"
47-7/16	"	7/16 "	6 5/8		7/32"
47-1/2x3/16	"	1/2 "	6 3/4		3/16"
47-1/2x1/4	"	1/2 "	7		1/4"
* 47-5/8	"	5/8 "	7 1/2		5/16"
50-3/16	Starting Punches	3/16 "	4 1/4		1/16"
50-1/4	"	1/4 "	4 5/8		3/32"
50-5/16	"	5/16 "	5 1/8		1/8"
50-3/8	"	3/8 "	5 5/8		3/16"
50-1/2	"	7/16 "	6		7/32"
50-1/2	"	1/2 "	6 1/2		1/4"
* 50-3/4	"	3/4 "	7		5/16"
* 50-3/4	"	3/4 "	7 1/2		3/8"
72-1/4	Cape Chisels	1/4 "	4 1/2	5/32"	
72-5/16	"	5/16 "	5	3/16"	
72-3/8	"	3/8 "	5 1/2	1/4"	
72-1/2	"	1/2 "	6	5/16"	
72-3/4	"	3/4 "	6 1/2	3/8"	
* 72-3/4	"	3/4 "	7	1/2"	
76-1/4	Diamond Chisels	1/4 "	4 1/2	5/32"	
76-5/16	"	5/16 "	5	3/16"	
76-3/8	"	3/8 "	5 1/2	1/4"	
76-1/2	"	1/2 "	6	5/16"	
76-3/4	"	3/4 "	6 1/2	3/8"	
* 76-3/4	"	3/4 "	7	1/2"	
80-1/4	Ro. Nose Chisels	1/4 "	4 1/2	5/32"	
80-5/16	"	5/16 "	5	3/16"	
80-3/8	"	3/8 "	5 1/2	1/4"	
* 80-1/2	"	1/2 "	6	5/16"	
80-5/8	"	5/8 "	6 1/2	3/8"	
* 80-3/4	"	3/4 "	7	1/2"	

*Temporarily discontinued

Temporarily discontinued



Sets cannot be shipped complete from factory but can be assembled by Distributor.



No. 96 — LONG TAPER DRIFT PUNCHES

Cat. No.	Stock	Length	Point
96-1/4	1/4"	10"	3/32"
96-5/16	5/16"	10"	1/8"
96-3/8	3/8"	10"	3/16"
96-7/16	7/16"	10"	7/32"
96-1/2	1/2"	10"	1/4"
96-5/8	5/8"	10"	5/16"
96-3/4	3/4"	10"	3/8"

Set No. 96A



Set **No. 96A** pictured at right consists of the first six sizes listed in handy leatherette kit No. 2404.



Special Cold Chisels

Forged from selected steels best adaptable for chisels. You will find their cutting edges are correctly beveled. To obtain best results, Plomb Chisels should be used at a 45° angle and the cutting edge held tight up against the work. Cut with the entire blade,—don't use the corners.




Set **No. 86AA** is a selection of 7 popular sizes in No. 2404 Leatherette Kit. Nos. 86A¹/₄, ⁵/₁₆, ³/₈, ⁷/₁₆, ¹/₂, ⁵/₈ and ³/₄x7¹/₂.

Cat. No.	Stock	Cut	Length
86A $\frac{3}{16}$	$\frac{3}{16}$ "	$\frac{1}{4}$ "	$4\frac{1}{4}$ "
86A $\frac{1}{4}$	$\frac{1}{4}$ "	$\frac{5}{16}$ "	$4\frac{1}{2}$ "
86A $\frac{5}{16}$	$\frac{5}{16}$ "	$\frac{3}{8}$ "	5"
86A $\frac{3}{8}$	$\frac{3}{8}$ "	$\frac{7}{16}$ "	$5\frac{1}{2}$ "
86A $\frac{7}{16}$	$\frac{7}{16}$ "	$\frac{1}{2}$ "	6"
86A $\frac{1}{2}$	$\frac{1}{2}$ "	$\frac{5}{8}$ "	$6\frac{1}{2}$ "
86A $\frac{5}{8}$ x7"	$\frac{5}{8}$ "	$\frac{3}{4}$ "	7"
86A $\frac{3}{4}$ x7 $\frac{1}{2}$ "	$\frac{3}{4}$ "	$\frac{7}{8}$ "	$7\frac{1}{2}$ "
86A $\frac{3}{4}$ x12"	$\frac{3}{4}$ "	$\frac{7}{8}$ "	12"
86A $\frac{7}{8}$ x8"	$\frac{7}{8}$ "	1"	8"
86A $\frac{7}{8}$ x12"	$\frac{7}{8}$ "	1"	12"
86A 1"x8"	1"	$1\frac{3}{16}$ "	8"
*86A 1"x12"	1"	$1\frac{9}{16}$ "	12"

***Temporarily discontinued**

Additional Sets on Next Page

PLOMB *Streamlined Tools*



No. 47A—Rivet or Pin Punch Set
 Composed of No. 47 punches in $\frac{1}{4}$ " x $\frac{1}{16}$ ", $\frac{1}{4}$ " x $\frac{3}{32}$ ", $\frac{5}{16}$ " x $\frac{1}{8}$ ", $\frac{5}{16}$ " x $\frac{5}{32}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ ", and $\frac{1}{2}$ " x $\frac{1}{4}$ " sizes, and Leatherette Kit No. 2403. Shipping weight, 1 lb.

No. 50A—Starting Punch Set
 Own this set and you can finish everything you start—when it comes to using a starting punch. Made up of No. 50 punches in $\frac{3}{16}$ ", $\frac{1}{4}$ ", $\frac{5}{16}$ ", $\frac{3}{8}$ ", $\frac{7}{16}$ " and $\frac{1}{2}$ " sizes, and Leatherette Kit No. 2403. Shipping weight, 1 lb.




Popular Punch and Chisel Sets

Cannot be shipped complete from factory
 but can be assembled by distributor.

No. 1 Punch and Chisel Set



No. 2 Punch and Chisel Set



Specifications—No. 1

41	$\frac{5}{16}$	Center Punch
41	$\frac{7}{16}$	" "
44	$\frac{1}{4}$	Prick
47	$\frac{1}{4}$ x $\frac{3}{32}$	Rivet
47	$\frac{5}{16}$ x $\frac{1}{8}$	" "
47	$\frac{5}{16}$ x $\frac{5}{32}$	" "
47	$\frac{3}{8}$	" "
47	$\frac{7}{16}$	" "
50	$\frac{3}{16}$	Starting Punch
50	$\frac{1}{4}$	" "
50	$\frac{5}{16}$	" "
50	$\frac{3}{8}$	" "
50	$\frac{7}{16}$	" "
72	$\frac{1}{4}$	Cape Chisel
72	$\frac{5}{16}$	" "
72	$\frac{3}{8}$	" "
76	$\frac{1}{4}$	Dia. Pt. Chisel
76	$\frac{5}{16}$	" "
76	$\frac{3}{8}$	" "
86A	$\frac{1}{4}$	Cold Chisel
86A	$\frac{5}{16}$	" "
86A	$\frac{3}{8}$	" "
86A	$\frac{7}{16}$	" "
86A	$\frac{1}{2}$	" "
2401		Leatherette Roll


Total 25 Items; Ship. Wt., $3\frac{3}{4}$ lbs.

Specifications—No. 2

41	$\frac{3}{8}$	Center Punch
47	$\frac{1}{4}$ x $\frac{3}{32}$	Rivet Punch
47	$\frac{5}{16}$ x $\frac{1}{8}$	" "
47	$\frac{3}{8}$	" "
50	$\frac{3}{16}$	Starting Punch
50	$\frac{5}{16}$	" "
50	$\frac{3}{8}$	" "
72	$\frac{5}{16}$	Cape Chisel
76	$\frac{5}{16}$	Dia. Pt. Chisel
86A	$\frac{1}{4}$	Cold Chisel
86A	$\frac{3}{8}$	" "
86A	$\frac{7}{16}$	" "
2402		Leatherette Roll

Total 13 Items; Ship. Wt., $1\frac{3}{4}$ lbs.

THE PLOMB LINE IS THE ENGINEERED LINE FOR GREATEST EFFICIENCY



NO. 13—PLOMB STAR DRILLS

Forged star drills are made from fatigue- and shock-resisting alloy steel. Wings have proper file and taper for maximum strength, long enough to permit sharpening. They center easily.

NO.	STOCK	CUT	12" LONG
13	1/4"	1/4"	X
13	1/4"	5/16"	X
13	5/16"	3/8"	X
*13	3/8"	7/16"	X
13	3/8"	1/2"	X
13	7/16"	5/8"	X
13	1/2"	3/4"	X
13	5/8"	7/8"	X
13	3/4"	1"	X
*13	7/8"	1-1/8"	X
*13	7/8"	1-1/4"	X
*13	7/8"	1-1/2"	X

NO. 84—CONCRETE GADS

Will not wedge in. Heat-treated to withstand an enormous amount of pounding through concrete.

NO.	STOCK	CUT	LENGTH
84	3/4"		12"
84	7/8"		12"
84	1"		12"
*84	1-1/4"		12"

NO. 38—SCREW DRIVER BITS

Square taper hand-forged to fit standard bit brace chuck.

NO.	STOCK	CUT	LENGTH
*38	9/32"	1/4" Bit	4-1/2"
*38	5/16"	5/16" Bit	4-1/2"
*38	11/32"	3/8" Bit	4-1/2"
*38	3/8"	1/2" Bit	4-1/2"

NO. 4—PLUGGING CHISELS

NO.	STOCK	BLADE	LENGTH	WT.
*4	5/8"	1/4" Cut	10"	10-oz.

NO. 5—FLOOR OR WOOD CHISELS

These all-steel wood chisels stand up under cutting conditions that wreck ordinary carpenters' wood chisels.

NO.	STOCK	WIDTH OF CUT	BLADE LENGTH	OVERALL LENGTH
5-7/16	7/16"	5/8"	4-1/4"	10"
*5-1/2	1/2"	3/4"	4-3/8"	10"
5-5/8	5/8"	1"	4"	10"
5-3/4	3/4"	1-3/16"	4-1/8"	10"

PACKING HOOKS

- *No. 2370—Length 8", 90° hook.
- *No. 2371—1/4" stock, 10" long, curved.
- *No. 2372—5/16" stock, 11 1/4" long, curved.

SCRATCH AWLS

NO.	SIZE	STOCK	LENGTH	WT. DOZ.
*18	5/16"	Square	7"	2-1/8 lbs.
*19	3/16"	Oct.	7"	3/4 lbs.

NO. 139—SPUD WRENCHES


Forged from spring steel. Not heat-treated, so jaws can be hammered closer together or spread if necessary. Far superior to the cheap, heavy cast wrenches. For use on 1-1/2" or 2" spuds. Wt. 1 lb. each.

- *No. 139—2"x2-1/2" openings; 11-1/2" long.

No. 6

NO. 6—SPRING YARNING IRONS

Blade is spring steel and is slightly offset for clearance.



*TEMPORARILY
DISCONTINUED

NO. 37—SOIL PIPE CHISELS

In great demand for the difficult job of cutting soil pipe. Rounded edge gives maximum cutting surface at point of contact, regardless of chisel angle. Cuts pipe quicker and easier than a regular cold chisel.

NO.	STOCK	CUT	LENGTH	WT.
37	1/2"	5/8" Cut	5 1/2"	5 oz.
37	5/8"	3/4" Cut	6"	8 oz.
37	3/4"	7/8" Cut	6 1/2"	12 oz.
*37	7/8"	1" Cut	7"	16 oz.

LEAD-PICKING TOOLS

New and modern in design that gives them a wide preference over similar types now on the market.

NO.	STOCK	LENGTH	WT.
111L	3/4"	8 1/2"	14 oz.
111R	3/4"	8 1/2"	14 oz.
112	1/2"	9"	7 oz.

*NO. 141—SPUD CHUCKS—

A wrench or holder for hollow work such as closet spuds of all sizes, sink and tray strainers, plugs, bath or basin fittings, etc. Expanded full 1/4" by eccentric spindle. Holds positively. Slips into 1", 1-1/8", 1-1/4", 1-1/2" and 2" when closed. Wt. 1-1/2 lbs. each.

NO.	WIDTH	LENGTH	WT.
6	5/8"	11-1/2"	1 1/2 lb.
*6	5/8"	18"	3 1/4 lb.
6	3/4"	12"	1 1/2 lb.
*6	5/8"	18"	3 1/4 lb.
*6	3/4"	14"	3 1/4 lb.

PLUMBING TOOLS

NO. 14—OFFSET YARNING IRONS

NO.	STOCK	WIDTH	LENGTH	WT.
14	1/2"	19/32"	11-1/2"	3/4 lb.
14	5/8"	11/16"	9"	1-1/2 lb.
14	5/8"	11/16"	12"	3/4 lb.
14	5/8"	11/16"	18"	5-8 lb.
14	3/4"	3/4"	14"	3/4 lb.

NO. 135
BENDING IRONS

NO.	STOCK	WIDTH	LENGTH	WT.
135-1/2	1/2"		10-5/8"	1/2 lb.
135-5/8	5/8"		10-5/8"	3/4 lb.

No. 20

ELBOW CALKERS

NO.	STOCK	BLADE	LENGTH	WT.
*29-1/2	1/2"	11/16" Wide	4-3/4"	5-oz.

NO. 21—PONY CALKERS (PAIR)

21-1/2	1 1/2"	3 3/4" Wide	3"	Curved
--------	--------	-------------	----	--------

GASKET CALKERS

* 31-5/8	5/8"	Short	5-5/8"	10 oz.
* 31-3/4	3/4"	Short	7"	10 oz.
131-5/8	5/8"	Long	9-1/2"	12 oz.
131-3/4	3/4"	Long	10"	12 oz.

NO. 033 — OFFSET CALKERS (PAIR)

NO.	STOCK	BLADE	LENGTH	WT.
033-1/2	1/2"	3/4" Wide	5-3/4"	13 oz.
033-5/8	5/8"	7/8" Wide	6-1/4"	13 oz.
* 099-3/4	3/4"	1" Wide	7"	14 oz.

NO. 33—LONG CALKERS (PAIR)

Used for calking lead in hub of soil pipe. Ground both inside or outside; concave blades fit 4" pipe.

concave blades for 4" pipe.				
33-1/2	1/2"	3/4" Wide	5-1/2"	12 oz.
33-5/8	5/8"	7/8" Wide	5-3/4"	12 oz.
* 33-3/4	3/4"	1" Wide	6-3/4"	13 oz.

WATER MAIN CALKERS

WATER MAIN JACKING

Do a good, fast job of calking joints in heavy cast iron water mains. Ground anchors, handle offset for knuckle clearance.

* 108-5/8	7/8"	5-8"x1"	8"	1 lb.
* 108-1/2	7/8"	1-2"x1"	8"	1 lb.
* 108-3/8	7/8"	3-8"x1"	8"	1 lb.
109-1/4	3/4"	1-4"x1"	8"	1 lb.

NO 130 — CEILING CALKERS

* 130	5/8"	10"	1 lb.
-------	------	-----	-------

NO 132—RIGHT AND LEFT CALKERS

Calk joints near walls or in corners where Nos. 31 or 33 calkers cannot be used. Made both right and left, ground either inside or outside. Come in pairs:

* 132R	5'8"	8-7/8"	3/4 lb.
* 132L	5'6"	8-7/8"	3/4 lb.

BROAD CURVED NOSE CALKING IRON

NO.	STOCK	WIDTH	THICKNESS	LENGTH
110-5/8	5/8"	1-1/2"	1/8"	8-1/2"

TUBING EXPANDERS

NO.	LENGTH	STEPS	EXPANDS PIPE TO	WT.
136	3-1/8"	3	1-1/4", 1-3/8", 1-1/2"	14 oz.

#TEMPORARILY DISCONTINUED



THE PLUMB LINE IS THE LEADING LINE OF FORGED HAND TOOLS

SLIDE HAMMER PULLER SPECIFICATIONS



NO. 4056 — This puller is adapted to a multitude of inside and outside pulling jobs.



4056L—4½" inside jaw. Range, 3¼" to 6"



4056J—3½" Reversible Jaw. Pulling Range 0" to 3" Outside, 1¼" to 3¼" Inside.



4066—4½" outside jaw. Range, 3" to 4"


PULLING COMBINATIONS POSSIBLE WITH 4071 3-WAY YOKE




With Jaws 4056J



With Jaws 4056J



With Jaws 4056L



With Jaws 4066

PULLING COMBINATIONS POSSIBLE WITH ADDITION OF 4061 2-WAY YOKE



With Jaws 4056J




With Jaws 4056J



With Jaws 4066



With Jaws 4056L



4071
3-way



4061—2-way

YOKES

PARTS SPECIFICATIONS


SETS

PART NO.	DESCRIPTION	4056	4056A†	4056B†
4056R	24" T-Handled Rod	1	1	1
4056H	2 1/2 Lb. Sliding Hammer	1	1	1
4056N	Reversible Adjusting Nut	1	1	1
4071	3-Way Yoke	1	1	1
4056PN	Pin	3	3	3
4056J	3 1/2" Reversible Jaw	3	—	3
4056L	4 1/2" Inside Jaw	—	—	—
4066	4 1/2" Outside Jaw	—	3	3
Shipping Weight in Lbs.		6 1/2	6	7

†CANNOT BE SHIPPED COMPLETE FROM FACTORY
BUT CAN BE ASSEMBLED BY DISTRIBUTOR.

PLUMB *Streamlined Tools*

No. 4060
2-Way Puller
Wt. 2 lbs.




Small Pullers

**Fast and Easy to Use on the
Little Pulling Jobs**

The size and range of both 4060 and 4070 are the same.

Short jaws have range from 0" to 3" long jaws from 3" to 4". With No. 4056N, nut used on Slide Hammer Puller, short jaws can be reversed and used for inside pulling.

No. 4070
3-Way Puller
Wt. 2½ lbs.



Showing the two-way cross arm No. 4061.

These two small pullers are designed to pull the little gears, pulleys, bearings quickly and easily. The narrow jaws get into very close places. Adjusting nut holds jaws firmly in position so they can't slip off. Any convenient wrench can be used on the 5/8" square head of screw.

No. 4060--Specifications

**Temporarily discontinued*

No.	Description	No. Needed	Set No. 4060A	Set No. 4060B	Set No. 4060C	Set No. 4060D
4061	2½" Cross Arm	1	1	1	1	1
4022	7" Screw, 9/16" sq. head	1	1	1	1	1
4063	Knurled Adjusting Nut, 1¾" Diam.	1	1	1	1	
4056PN	Pins for Cross Arm	2	2	2	2	2
4056J	3½" Jaws, 0" to 1½" Range					
4056N	Rev. Adj. Nut					
4066	4½" Jaws, 0" to 3" Range	2	2		2	2
	Number of Pieces		9 pieces	7 pieces	7 pieces	9 pieces
	Shipping Weight in Pounds		1¾	1¼	1½	2½

No. 4070--Specifications

*

*

*

No.	Description	No. Needed	Set No. 4070A	Set No. 4070B	Set No. 4070C	Set No. 4070D
4022	7" Screw, 9/16" sq. head	1	1	1	1	1
4063	Adjusting Nut, 1¾" diameter	1	1	1	1	
4056PN	Pins for Yoke	3	3	3	3	3
4056J	3½" Jaws					
4056N	Rev. Adj. Nut					
4066	4½" Jaws	3	3		3	3
4071	3-Way Yoke	1	1	1	1	1
	Number of Pieces		12 pieces	9 pieces	9 pieces	12 pieces
	Shipping Weight in Pounds		2¼	1½	2	3

THE PLUMB LINE IS THE SPEED LINE FOR SAVING TIME


PLUMB

Streamlined Tools



Plomb Universal

Wheel Puller

**Handles Practically All
Types of Wheels with
3, 4, 5, 6 and 7
Studs**



No. 4001

Screw
8" LongUniversal Puller
on a
wire-wheel car.Pulling the hub of
a Ford V8 car,
using Adaptor.

This is the simplest and fastest wheel puller made. It pulls wheels of practically every car. Legs shown are quickly adjustable to any drum with 3, 4, 5, 6 or 7 studs, in a circle up to 6 1/2" diameter. With No. 4001JT Legs, it is adaptable to any drum with studs in a circle up to 8". Regular legs are drilled to take up to 9/16" studs; 4001JT legs will take up to 3/4" studs.

4001T—Metal Box for Wheel Puller

Box, illustrated below is made of heavy-gauge sheet steel and the No. 4001 Wheel Puller fits into it as shown, 1 1/2" deep, 8 1/4" wide, 8 1/2" long. Three compartments.


No. 4001A—Wheel Puller
in Metal Box.

The Plomb Universal Wheel Puller makes other types of wheel pullers obsolete. For all cars, including Ford with adaptor shown above at right, and light trucks. With No. 4001JT jaws, listed below, pulls wheels of light trucks, such as Chevrolet and International.

Parts Specifications

**Temporarily discontinued*

Cat. No.	Description	SETS		
		4001	4001 A	4001 JT
4001B	Puller Body, 6 3/4" Long	1	1	1
4001C	Ford Adaptor Cap
4001J	Screws, 4 1/2" Long	2	2	2
4001JT	Leg—Standard Foot, 6" Long	3	3	...
4001R	Leg—Extra Long Foot 6" Long	3
4001S	Ford Adaptor Ring	1	1	1
4001T	1" Puller Screw, 8" Long	1	1	1
	Box
	Shipping Weight in lbs.	9 1/2	11	11



1452

EGG-SHAPED DOLLY.

A very popular shape, with many different curves and radii. $1\frac{5}{8}$ " thick. $2\frac{1}{2}$ " wide, $3\frac{3}{4}$ " lg. Wt. $2\frac{3}{4}$ lbs.

1453

RAILROAD OR GENERAL PURPOSE DOLLY.

A large variety of radii are provided in this dolly, with perfect hand fit. Heavy weight for bumping out dents, thin beading edge and $7\frac{1}{2}$ square inches of working area on the large face are responsible for its popularity. Weight 3 pounds.

1454

RADIUS DOLLY.

A useful design that has many radii. Bottom and one side flat, forming a right angle. $1\frac{3}{32}$ " thick, $2\frac{3}{16}$ " wide, $4\frac{1}{2}$ " lg. Wt. 2 lbs. 10 oz.

1455

NEW BEAD DOLLY.

Use for beads or rolled fenders. Start with wedge end and finish with curved top. The flat side can be worked under long curve of fender. Thin edge useful for corners and beading. Comfortable hand grip. $4\frac{3}{8}$ " long, $2\frac{3}{4}$ " wide, $1\frac{7}{8}$ " thick at top. Wt. $2\frac{1}{2}$ lbs.

1457

SHRINKING DOLLY.

The unique shape, low crowned surface of this dolly gives it an all-purpose use where shrinking of body metal is concerned. Excellent also for raising beads and moulding. Wt. $2\frac{1}{4}$ lbs.

1458

HEEL DOLLY, SEMI-ELLIPTICAL.

This dolly provides two flat and two crowned working surfaces. Especially useful in restricted places and can be used for shrinking metal. Wt. 2 lbs.

1501


STRAIGHT FLEXIBLE PLUMB FILE.

New, quick-cutting type with curved teeth. Finest quality you can buy. $1\frac{3}{8}$ " wide, $14\frac{1}{2}$ " long.

1508


ADJUSTABLE FILE HOLDER.

Simple adjustment makes file either concave or convex, or can be used for straight filing. Wood grips shaped to fit hands. 16" long when flat. Holder only.




PLUMB

Streamlined Tools



HAMMERS

***Temporarily discontinued**
 You will find a Plumb Hammer of every type
 for every purpose in Body and Fender Work.



THE PLUMB LINE IS THE POPULAR LINE AMONG EXPERIENCED MECHANICS

No.	DESCRIPTION
1368	RUBBER Mallet Every repair man finds this hammer a necessity especially where a metal hammer would mar the surface. Wt. 24 oz. Length 15"
	SOFT TIPPED HAMMERS Removable tips of molded plastic. Will stand lots of pounding and still not damage the surface of the material. A Plomb innovation is one end with round face, the other cross pein.
1370	8-oz. PLASTIC TIPPED HAMMER With Cross Pein Tip.
1375	16-oz. PLASTIC TIPPED HAMMER With Cross Pein Tip.
1383	8-oz. PLASTIC TIP HAMMER With Round Tips.
1385	16-oz. PLASTIC TIP HAMMER With Round Tips.
1370C	Extra Tips for above. RO. FACE TIPS
1370D	CROSS PEIN TIPS
1416	LONG HEAD BUMPING HAMMER Provides extreme clearance for late model fenders. Weight decreased and perfect balance achieved by means of semi-I-beam. Neck head 9", clearance 6 $\frac{3}{4}$ ", wt. 2 $\frac{3}{4}$ lbs.
1419	MAGNETIC TRIM HAMMER A favorite because of its long reach and head radii. The head is curved in about the arc of a natural swing. Length of head 5 $\frac{1}{2}$ ". Wt. 7 oz.
1421	DINGING HAMMER Has large face for roughing the bad ones into shape for finishing. Head 6" long, 1 $\frac{1}{4}$ " and 1 $\frac{5}{8}$ " round. Faces slightly crowned. Wt. 1 $\frac{1}{4}$ lb.
* 1422	LIGHTWEIGHT FINISHING HAMMER Ideal on dull or for straightening light metal. "Teens" pattern 13 1/16 inches long, 1 1/2 inches wide. Wt. 5 oz.
1424	FINISHING HAMMER Light of weight in perfect balance. Ro. face 1 $\frac{1}{4}$ " dia. slightly crowned 1-1/16" sq. face. Wt. 1/2 lb.
1425	FINISHING HAMMER Heavier than 1424. Weight about 3/4 lb. Ro. face slightly crowned. 1 1/2" dia. with 1 1/8" sq. face.
1426	LONG BODY FINISHING HAMMER For crowned fenders and other places where clearance is needed. 1 3/8" Ro. face slightly crowned. 3 1/2" clearance. Ro. cross pein 1 1/8" wide on other end. Has 4" clearance. Wt. 3/4 lb.
1427	FINISHING HAMMER Has wedge shaped cross pein 1" wide, 2 1/2" clearance. Used for fender beads corner along panel heading, etc. Ro. face 1 3/8" dia. slightly crowned 2" clearance. Wt. 1/2 lb.
1428	PECKING HAMMER Pointed end for picking out small dents. Ro. face for finishing. Head 5 7/8" long overall. 1 1/2" dia. slightly crowned Ro. face. Wt. 12 oz.
1429	TURRET TOP PECKING HAMMER Eliminates uncomfortable reaching. Handle 18" long, reaches to center of turret top. Head 9" overall. Wt. 1 lb. This hammer combines along curved pecking point with long necked ball-pein.
1430	BRASS HAMMER One of the most satisfactory soft hammers ever used. Wt. 1 3/4 lbs.
1448	2-WAY HAMMER A Plomb two-way hammer for you. Steel head with rubber head opposed. Just the hammer for mounting tires—drawing rivets. Also used by plumbers, machinists and woodworkers. Wt. 2 1/4 lbs. No. 1448B—Extra rubber heads.

PLUMB

Streamlined Tools

Cannot be shipped complete from factory
but can be assembled by distributor.

No. 1400-A

Body and Fender Tool Repair Set

Many mechanics are specializing in Body and Fender repair work. To be properly equipped is to own this extensive set of Hand Tools for such work. Look at the popular items it contains below.

Tool No.	Description
1421	Large Face Dinging Hammer
1424	Light Weight Finishing Hammer
1425	Med. Weight Finishing Hammer
1427	Wedge Shape Finishing Hammer
1428	Pecking Hammer
1452	Egg-type Dolly
1454	Radius Dolly
1455	New Type Bead Dolly
1448	Frame Hammer
1501	Straight Flexible File
1508	Adjustable File Holder
* 9920	File Tray

TOTAL OF 12 ITEMS
Shipping Weight # 25 Lbs.

No. 1400-B


Body and Fender Tool Repair Set

A small economical but very popular set containing, as noted below, the very necessary items that will stamp you a master of your trade.

Tool No.	Description
1419	Magnetic Trim Hammer
* 1422	Light Weight Finishing Hammer
1424	Small Size Finishing Hammer
1427	Wedge Shaped Finish Hammer
1428	Pecking Hammer
1452	Egg-Shaped Dolly
1454	Radius Dolly
1383	Plastic Hammer
1501	Straight Flexible File
1508	Adjustable File Holder
* 9920	File Tray

TOTAL OF 11 ITEMS
Shipping Weight, 19 Lbs.

*Temporarily discontinued



THE PLUMB LINE IS THE MODERN LINE OF FINE HAND TOOLS

▽ P L O M B ▽
Streamlined
T V V L S

▽
P L O M B
T O O L

C O .

MAIN OFFICE
and PLANT
LOS
ANGELES
CALIF. ▽